



Multiple REE discoveries at Mount Muambe - Mozambique

Globe Metals & Mining (“Globe” or “the Company”; ASX: GBE) is pleased to announce the discovery of three new, substantial zones of rare earth mineralisation at the Mount Muambe REE – Fluorite Project in Mozambique. These intercepts now clearly demonstrate the large tonnage potential of the project.

Highlights

- Three new, substantial, shallow REE zones discovered at Mount Muambe – potential clearly demonstrated for large tonnages of REE mineralisation
- All zones open at depth and open laterally in most directions – many holes ended in mineralisation
- Results include:
 - **46m @ 2.6% TREO inc. 20m @ 3.3% TREO** (from 24m; ended in 3.5% TREO; Zone AA)
 - **49m @ 2.5% TREO inc. 20m @ 3.5% TREO** (from 20m; ended in 3.6% TREO; Zone BB)
 - **47m @ 1.7% TREO inc. 17m @ 2.4% TREO** (from 14m; ended in 2.9% TREO; Zone BB)
 - **60m @ 2.1% TREO inc. 24m @ 2.6% TREO** (from 20m; ended in 2.7% TREO; Zone DD)
 - **28m @ 2.1% TREO inc. 12m @ 2.9% TREO** (from surface: Zone DD)
- A diamond and RC rig have mobilised to Mount Muambe to begin the substantial 2012 drilling campaign
- Metallurgical testwork program to commence on drill core following the completion of the diamond component of the 2012 drilling campaign
- High-grade maiden Inferred Fluorite Mineral Resource estimate of 1.6Mt @ 19% CaF₂ containing 310K tonnes of fluorite announced 9 March 2012



1 Comment

Globe's Regional Exploration Manager for Africa, Michael Schultz, commented, "The three new REE discoveries are a fantastic outcome from the 2011 drilling program at Mount Muambe. Many of our holes show appreciable results with substantial width REE intercepts grading between 1.5% and 4% TREO. The most exciting development is the fact that the majority of the REE drill intercepts are open at depth and hosted in carbonatite, the most dominant rock type in the crater. This clearly shows the potential to discover large tonnages of REE mineralisation. Our technical team is very excited by these rare earth intercepts and we are really looking forward to drilling these new targets out in 2012."




Figure 1: Exploration coverage within the Mount Muambe crater

2 Results

2.1 Introduction

In 2011, Globe completed 9,427m of RC drilling at the Mount Muambe REE-Fluorite Project. To date, prior to this release, the results for 5,377m for 67 holes have been reported. The final 4,050m of drilling focussed on new REE targets in six separate zones; AA, BB, CC, DD, GG and MAG Zones (Figure 1). Substantial REE discoveries were made in three of the zones, being the AA, BB and DD Zones. All substantial zones of REE mineralisation intersected remain open at depth and laterally.

2.2 Zone AA

A total of eight holes for 550m were drilled in Zone AA, in the NE quadrant of the crater. Holes were drilled to test surface radiometric anomalism, soil and rock-chip results. Many holes intersected near surface zones of anomalous to mineralised fenite (strongly feldspar-altered sandstone). However, the thickest and highest grade REE results occur in carbonatite (carbonate rich volcanic) rocks beneath the fenite. This well mineralised zone of carbonatite was intersected at the southern margins of the drill pattern and remains open at depth and laterally, particularly to the south and west. The best holes in the southern part of the drill pattern ended in substantial grades of REE mineralisation (Figure 2). Best results for Zone AA are listed below (refer to Table 1 for complete results):

MURC124: 46m @ 2.6% TREO inc. 20m @ 3.3% TREO (from 24m; ended in 3.5% TREO)

MURC125: 22m @ 1.6% TREO inc. 4m @ 3.1% TREO (from 48m; ended in 1.2% TREO)




Figure 2: Cross section Zone AA Mount Muambe

2.3 Zone BB

A total of 19 holes for 1,042m were drilled in Zone BB, also located in the NE quadrant of the crater. Holes were drilled to follow up on surface radiometric anomalism and earlier rock-chip results that identified both mineralised carbonatite and fenite. The drilling revealed a relatively thin layer of fenite over a broad carbonatite body. Whilst the fenite is weakly mineralised, the broader underlying carbonatite hosts thicker and higher grade REE intercepts. Many of these holes, particularly those at the southern margin of the drill pattern ended in substantial grades of REE mineralisation. Therefore, Zone BB is also open at depth (Figure 3) and laterally to the south, west and east but also at depth to the north (Figure 1).

Carbonatite rocks in Zone BB also host visual fluorite mineralisation, although these results have not yet been received from the laboratory.

Best REE results for Zone BB are listed below (refer Table 1 for complete results):

MURC119: 49m @ 2.5% TREO inc. 20m @ 3.5% TREO (from 20m; ended in 3.6% TREO)

MURC117: 47m @ 1.7% TREO inc. 17m @ 2.4% TREO (from 14m; ended in 2.9% TREO)




Figure 3: Cross section 8195880mN, Zone BB Mount Muambe

2.4 Zone DD

A total of 14 holes for 1,379m were drilled in Zone DD, located in the NW part of the crater. Holes were drilled to follow up on previously identified surface fluorite results within carbonatite. A nearby earlier drill intercept of 16m @ 4.1% TREO hosted in fenite also occurs in the area.

The thickest zones of REE mineralisation were encountered in the carbonatite, however, substantial REE intercepts also occur in fenite. The carbonatite hosted REE zone is open at depth and largely open laterally/along strike to the north and south. Fenite hosted mineralisation occurs in flat sheets that remain open laterally in most directions, particularly toward the west.

Best REE results for Zone DD are listed below (refer Table 1 for complete results):

MURC138: 60m @ 2.1% TREO inc. 24m @ 2.6% TREO (from 20m; ended in 2.7% TREO)

MURC139: 28m @ 2.1% TREO inc. 12m @ 2.9% TREO (from surface)




Figure 4: Cross section 8195580mN, Zone DD Mount Muambe




Figure 5: 2012 Zone DD drillhole location plan

2.5 Other Zones

Three other areas at Mount Muambe were also drill tested for REE in Phase Two. Zone GG showed an intercept of 9m @ 2.4% TREO (Table 1) associated with a carbonatite/fenite contact and warrants further follow up drilling.

Other areas tested were Zone CC and Mag Zone – a discreet magnetic anomaly. Both Zones did not return any appreciable REE results, however visual fluorite was encountered with laboratory results yet to be received.

3 Concluding comments

Globe is extremely excited about the new and substantial REE discoveries at Mount Muambe. To summarise;

- Three new zones of substantial REE mineralisation discovered in RC drilling
- All zones are open at depth and in most directions laterally
- Most of the REE mineralisation occurs in carbonatite, the most prevalent rock type
- Potential for large tonnages of REE mineralisation clearly demonstrated
- A diamond and RC drill rig have mobilised to site to begin the substantial 2012 drilling program
- Detailed metallurgical test work will commence at the completion of the diamond drilling program

For personal use only



Globe - Project Location Map

Figure 6: Project location plan



About Globe Metals & Mining

Globe is an African-focused resource company, specialising in rare metals such as niobium, tantalum and rare earths, as well as other commodities including fluorite, uranium and zircon. Our main focus is the multi-commodity Kanyika Niobium Project in Malawi, which will produce ferro-niobium, a key additive in sophisticated steels.

Globe also has a number of other projects at an earlier stage of development: it is earning up to an 80% interest in the Machinga Rare Earth Project in southern Malawi, and the Company can earn up to a 90% interest in the Mount Muambe REE – Fluorite Project and the Memba Titanium – Iron Project, both in Mozambique.

Globe's corporate head office in Perth, Australia is supported by African offices in Lilongwe, Maputo, Tete and Nacala. The Company has been listed on the ASX since December 2005 (Code: GBE).

In April 2011, the Company entered into a strategic partnership with East China Mineral Exploration and Development Bureau (ECE), a Chinese State Owned Enterprise with extensive mining operations in China and overseas. ECE is now the largest shareholder in Globe, and a key partner for Globe's growth ambitions in Africa.

Company Contact:

Mark Sumich
Managing Director
t: +61 8 9327 0700
e: mark.sumich@globemetalsandmining.com.au

Media Contact:

Skye Gilligan
Manager – Corporate Communications & Social Responsibility
t: +61 8 9327 0703
e: skye.gilligan@globemetalsandmining.com.au

Competent Person: The contents of this report relating to geology and exploration results are based on information reviewed by Dr. Julian Stephens, Member of the Australian Institute of Geoscientists and Non-Executive Director of Globe Metals & Mining. Dr Stephens has sufficient experience related to the activity being undertaken to qualify as a "Competent Person", as defined in the 2004 edition of the Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves and consents to the inclusion in this report of the matters reviewed by him in the form and context in which they appear.



Table 1: Significant REE drill intercepts – Mount Muambe.

Hole ID	From (m)	To (m)	Width (m)*	La2O3 (ppm)	Ce2O3 (ppm)	Nd2O3 (ppm)	Eu2O3 (ppm)	Dy2O3 (ppm)	Er2O3 (ppm)	Yb2O3 (ppm)	Y2O3 (ppm)	TREO (ppm)	HREO (ppm)	HREO: TREO	Nb2O5 (ppm)
MURC001 ¹	77	81	4	5,929	6,866	1,283	36	122	66	55	747	15,900	1,202	7.6%	305
**MURC006 ¹	8	16	8	4,745	8,063	2,752	153	376	216	188	2,459	20,849	4,009	19.2%	2,573
MURC021 ¹	6	16	10	7,779	7,824	1,642	83	235	100	83	1,363	20,287	2,193	10.8%	636
MURC021 ¹	42	44	2	12,067	11,981	2,352	146	342	124	92	1,559	30,533	2,869	9.4%	1,709
MURC042 ¹	42	75	33	4,864	10,120	2,790	47	93	56	49	635	20,018	1,035	5.2%	1,008
MURC052 ¹	75	77	2	6,411	7,912	1,554	39	85	36	29	426	17,398	760	4.4%	806
MURC080 ¹	8	16	8	5,211	8,341	2,331	70	131	66	52	779	18,251	1,339	7.3%	1,255
MURC081 ¹	0	36	36	7,658	11,501	2,950	81	169	102	86	1,125	25,260	1,847	7.3%	2,376
inc.	0	16	16	13,227	19,262	4,292	97	210	137	122	1,508	41,133	2,417	5.9%	914
**MURC086	37	41	4	3,035	5,911	2,791	163	361	152	131	1,685	16,111	3,102	19.25	2,173
**MURC089	4	8	4	5,759	8,497	1,780	41	74	38	28	414	17,620	726	4.12	628
**MURC090	10	19	9	8,460	10,876	2,213	46	67	39	34	493	23,424	817	3.49	353
**MURC097	4	8	4	5,013	10,632	3,619	94	134	60	50	672	22,063	1,280	5.80	514
**MURC099	4	16	12	5,934	8,799	3,077	95	116	49	38	596	20,264	1,149	5.67	888
**MURC108	20	24	4	5,512	8,698	2,352	68	96	49	38	636	18,709	1,080	5.77	499
**MURC109	44	48	4	5,215	8,711	2,231	54	68	35	26	403	17,893	740	4.13	1,422
**MURC115	46	61	15	5,965	7,437	1,634	41	76	41	34	475	16,619	809	4.87	323
**MURC116	56	60	4	9,217	15,196	4,083	94	64	25	19	378	31,145	798	2.56	241
**MURC117	14	61	47	5,433	7,566	1,906	48	77	39	29	489	16,616	839	5.05	667
inc.	14	24	10	6,492	10,330	3,002	78	137	72	55	938	22,697	1,542	6.79	753
inc.	44	61	17	8,901	11,346	2,441	49	61	26	18	326	24,455	620	2.53	422
**MURC119	0	49	49	9,386	11,503	2,375	47	72	34	27	411	25,139	742	2.95	327
inc.	0	8	8	13,607	15,057	2,698	52	99	43	31	550	33,650	953	2.83	402
inc.	20	40	20	9,386	15,724	3,372	61	64	27	22	327	34,723	658	1.90	396
**MURC124	24	70	46	7,466	12,045	3,477	88	133	61	46	777	25,883	1,374	5.31	787
inc.	40	60	20	9,893	15,703	4,016	96	125	55	45	700	32,740	1,303	3.98	789
**MURC125	48	70	22	3,089	7,790	3,217	78	116	52	38	661	16,553	1,173	7.08	789
inc.	56	60	4	7,156	15,809	4,043	104	156	70	49	899	31,366	1,579	5.03	451
**MURC127	52	64	12	3,424	9,033	3,578	85	94	43	31	599	18,534	1,060	5.72	333
**MURC132	16	20	4	9,124	13,174	2,955	54	73	38	28	474	27,465	823	3.00	399
**MURC134	48	60	12	7,607	10,126	2,004	34	46	30	28	344	21,279	578	2.72	684
**MURC137	24	43	19	5,042	8,328	2,251	47	70	38	34	462	17,404	794	4.56	353
**MURC138	20	80	60	7,585	9,266	1,963	48	109	65	52	773	20,974	1,220	5.82	316
inc.	36	60	24	9,951	11,807	2,204	47	112	72	61	840	26,366	1,307	5.82	189
**MURC139	0	28	28	7,394	8,949	1,938	50	119	72	62	859	20,546	1,350	6.57	311
inc.	4	16	12	10,791	12,884	2,772	64	143	88	75	1,026	29,383	1,628	5.54	258

*Only selected rare earth elements have been presented in this table due to space constraints, and therefore the TREO column will not be exactly equal with the sum of the individual REO results presented. TREO = Total Rare Earth Oxides (La through Lu + Y); HREO = more valuable Heavy Rare Earth Oxides (Eu through Lu + Y). True intercept widths are uncertain at this stage. All other holes from Table 4 contained no significant TREO results based on a 1.5% TREO cutoff.

**Samples are 4 metre composites. 1m samples are split twice, the remainder of all 4 samples combined and the composite split to ensure homogeneity.

¹Holes that were previously reported, but now with a >1.5% TREO cutoff.



Table 2: RC drillhole information – Mount Muambe.

Hole ID	Depth (m)	Easting (m)	Northing (m)	RL (m)	Dip	Azimuth	Zone
MURC001 ¹	103	615253	8194699	535	-55°	270°	Main Fluorite Zone
MURC002 ¹	85	615218	8194662	532	-55°	090°	Main Fluorite Zone
MURC003 ¹	60	615239	8194818	556	-55°	270°	Main Fluorite Zone
MURC004 ¹	60	615206	8194782	562	-55°	090°	Main Fluorite Zone
MURC005 ¹	70	615179	8194819	569	-55°	270°	Main Fluorite Zone
MURC006 ¹	74	615182	8194859	570	-55°	270°	Main Fluorite Zone
MURC007 ¹	22	615209	8194859	568	-90°	000°	Main Fluorite Zone
MURC008 ¹	25	615200	8194860	568	-90°	000°	Main Fluorite Zone
MURC009 ¹	43	615211	8194840	567	-90°	000°	Main Fluorite Zone
MURC010 ¹	64	615212	8194821	567	-90°	000°	Main Fluorite Zone
MURC011 ¹	64	615210	8194800	566	-90°	000°	Main Fluorite Zone
MURC012 ¹	120	615201	8194850	569	-55°	180°	Main Fluorite Zone
MURC013 ¹	100	615168	8194780	569	-55°	000°	Main Fluorite Zone
MURC014 ¹	46	615216	8194898	571	-55°	270°	Main Fluorite Zone
MURC015 ¹	90	615213	8194879	575	-90°	000°	Main Fluorite Zone
MURC016 ¹	95	615194	8194880	577	-90°	000°	Main Fluorite Zone
MURC017 ¹	85	615221	8194840	570	-90°	000°	Main Fluorite Zone
MURC018 ¹	90	615199	8194838	571	-90°	000°	Main Fluorite Zone
MURC019 ¹	100	615182	8194840	573	-90°	000°	Main Fluorite Zone
MURC020 ¹	86	615233	8194800	558	-90°	000°	Main Fluorite Zone
MURC021 ¹	100	615191	8194801	562	-90°	000°	Main Fluorite Zone
MURC022 ¹	101	615172	8194801	567	-90°	000°	Main Fluorite Zone
MURC023 ¹	61	615161	8194838	578	-90°	000°	Main Fluorite Zone
MURC024 ¹	18	615141	8194839	571	-90°	000°	Main Fluorite Zone
MURC025 ¹	88	615121	8194841	569	-90°	000°	Main Fluorite Zone
MURC026 ¹	103	615130	8194879	575	-90°	000°	Main Fluorite Zone
MURC027 ¹	100	615250	8194879	581	-90°	000°	Main Fluorite Zone
MURC028 ¹	55	615170	8194881	577	-90°	000°	Main Fluorite Zone
MURC029 ¹	95	615241	8194762	560	-90°	000°	Main Fluorite Zone
MURC030 ¹	84	615225	8194761	554	-90°	000°	Main Fluorite Zone
MURC031 ¹	100	615181	8194761	563	-90°	000°	Main Fluorite Zone
MURC032 ¹	95	615201	8194760	558	-90°	000°	Main Fluorite Zone
MURC033 ¹	100	615162	8194760	561	-90°	000°	Main Fluorite Zone
MURC034 ¹	100	615143	8194761	559	-90°	000°	Main Fluorite Zone
MURC035 ¹	100	615152	8194800	565	-90°	000°	Main Fluorite Zone
MURC036 ¹	90	615101	8195001	591	-90°	000°	Main North Extension
MURC037 ¹	82	615141	8195000	593	-90°	000°	Main North Extension
MURC038 ¹	90	615182	8194999	593	-90°	000°	Main North Extension
MURC039 ¹	74	615243	8195002	588	-90°	000°	Main North Extension
MURC040 ¹	90	615191	8194962	581	-90°	000°	Main North Extension
MURC041 ¹	90	615170	8194961	589	-90°	000°	Main North Extension
MURC042 ¹	90	615151	8194961	591	-90°	000°	Main North Extension
MURC043 ¹	22	615211	8194960	587	-90°	000°	Main North Extension
MURC044 ¹	90	615132	8194960	591	-90°	000°	Main North Extension
MURC045 ¹	80	615240	8194838	554	-90°	000°	Main Fluorite Zone
MURC046 ¹	70	615279	8194799	543	-90°	000°	Main Fluorite Zone
MURC047 ¹	95	615192	8194720	546	-90°	000°	Main Fluorite Zone
MURC048 ¹	95	615210	8194720	543	-90°	000°	Main Fluorite Zone
MURC049 ¹	94	615250	8194720	535	-90°	000°	Main Fluorite Zone
MURC050 ¹	95	615229	8194720	539	-90°	000°	Main Fluorite Zone
MURC051 ¹	90	615182	8194679	536	-90°	000°	Main Fluorite Zone



Hole ID	Depth (m)	Easting (m)	Northing (m)	RL (m)	Dip	Azimuth	Zone
MURC052 ¹	95	615198	8194679	536	-90°	000°	Main Fluorite Zone
MURC053 ¹	95	615220	8194680	534	-90°	000°	Main Fluorite Zone
MURC054 ¹	95	615236	8194679	532	-90°	000°	Main Fluorite Zone
MURC055 ¹	90	615259	8194680	529	-90°	000°	Main Fluorite Zone
MURC056 ¹	79	615239	8194357	555	-90°	000°	Main South Extension
MURC057 ¹	28	615260	8194359	556	-90°	000°	Main South Extension
MURC058 ¹	34	615298	8194360	559	-90°	000°	Main South Extension
MURC059 ¹	28	615342	8194361	560	-90°	000°	Main South Extension
MURC060 ¹	37	615198	8194360	553	-90°	000°	Main South Extension
MURC061 ¹	28	615360	8194361	560	-90°	000°	Main South Extension
MURC062 ¹	50	615321	8194360	560	-55°	090°	Main South Extension
MURC063 ¹	60	615189	8194398	546	-90°	000°	Main South Extension
MURC064 ¹	60	615210	8194400	546	-90°	000°	Main South Extension
MURC065 ¹	58	615229	8194399	549	-90°	000°	Main South Extension
MURC066 ¹	79	615160	8194440	533	-90°	000°	Main South Extension
MURC067 ¹	43	615178	8194440	535	-90°	000°	Main South Extension
MURC068 ¹	40	615199	8194440	539	-90°	000°	Main South Extension
MURC069 ¹	76	615139	8194440	530	-90°	000°	Main South Extension
MURC070 ¹	46	615149	8194480	527	-90°	000°	Main South Extension
MURC071 ¹	46	615168	8194480	530	-90°	000°	Main South Extension
MURC072 ¹	150	616241	8194877	497	-90°	000°	Zone EE
MURC073 ¹	150	616202	8194798	496	-90°	000°	Zone EE
MURC074 ¹	150	616123	8194799	498	-90°	000°	Zone EE
MURC075 ¹	150	616244	8194719	502	-90°	000°	Zone EE
MURC076 ¹	150	616120	8194640	498	-90°	000°	Zone EE
MURC077 ¹	57	615219	8195699	557	-55°	090°	Zone DD
MURC078 ¹	50	615139	8195700	565	-55°	090°	Zone DD
MURC079 ¹	30	615302.5	8195700	544	-55°	090°	Zone DD
MURC080 ¹	70	615378.6	8195699	533	-55°	090°	Zone DD
MURC081 ¹	70	615458.9	8195700	525	-55°	090°	Zone DD
MURC082	58	616682	8196160	510	-55°	180°	Zone GG
MURC083	40	616561	8196045	513	-55°	180°	Zone GG
MURC084	30	616603	8196083	509	-55°	180°	Zone GG
MURC085	67	616638	8196126	511	-55°	180°	Zone GG
MURC086	58	616686	8196087	508	-55°	180°	Zone GG
MURC087	40	616683	8196004	506	-55°	180°	Zone GG
MURC088	19	616681	8195923	508	-55°	180°	Zone GG
MURC089	28	616601	8195905	512	-55°	180°	Zone GG
MURC090	31	616681	8195905	514	-55°	180°	Zone GG
MURC091	70	616562	8195943	515	-55°	180°	Zone GG
MURC092	19	616542	8195964	516	-55°	180°	Zone GG
MURC093	72	615680	8196264	535	-55°	180°	Zone CC
MURC094	73	615643	8196242	535	-55°	180°	Zone CC
MURC095	70	615601	8196223	534	-55°	180°	Zone CC
MURC096	66	615563	8196202	531	-55°	180°	Zone CC
MURC097	40	617041	8196086	516	-55°	180°	Zone BB
MURC098	50	617041	8196124	514	-55°	180°	Zone BB
MURC099	70	617041	8196166	514	-55°	180°	Zone BB
MURC100	61	617042	8196206	517	-55°	180°	Zone BB
MURC101	52	617041	8196244	518	-55°	180°	Zone BB
MURC102	59	617122	8196164	517	-55°	180°	Zone BB
MURC103	70	617123	8196201	517	-55°	180°	Zone BB
MURC104	60	617125	8196244	520	-55°	180°	Zone BB



Hole ID	Depth (m)	Easting (m)	Northing (m)	RL (m)	Dip	Azimuth	Zone
MURC105	60	617183	8196182	520	-55°	180°	Zone BB
MURC106	49	617123	8196103	517	-55°	180°	Zone BB
MURC107	50	617182	8196028	527	-55°	180°	Zone BB
MURC108	40	617222	8195964	536	-55°	180°	Zone BB
MURC109	52	617143	8195965	531	-55°	180°	Zone BB
MURC110	70	616602	8196278	513	-55°	180°	Zone GG
MURC111	70	616643	8196245	512	-55°	180°	Zone GG
MURC112	58	616681	8196201	510	-55°	180°	Zone GG
MURC113	50	616600	8196012	512	-55°	180°	Zone GG
MURC114	49	617343	8196182	536	-55°	180°	Zone BB
MURC115	61	617182	8195886	546	-55°	180°	Zone BB
MURC116	60	617303	8195967	539	-55°	180°	Zone BB
MURC117	60	617264	8195886	550	-55°	180°	Zone BB
MURC118	50	617237	8196089	528	-55°	180°	Zone BB
MURC119	49	617061	8195889	531	-55°	180°	Zone BB
MURC120	64	615442	8196144	534	-55°	090°	Zone CC
MURC121	60	615402	8196144	538	-55°	090°	Zone CC
MURC122	60	615364	8196144	537	-55°	090°	Zone CC
MURC123	60	615322	8196143	539	-55°	090°	Zone CC
MURC124	70	616961	8196642	531	-55°	180°	Zone AA
MURC125	70	617001	8196686	537	-55°	180°	Zone AA
MURC126	60	617046	8196722	542	-55°	180°	Zone AA
MURC127	70	617081	8196684	538	-55°	180°	Zone AA
MURC128	70	617089	8196759	543	-55°	180°	Zone AA
MURC129	70	617121	8196725	542	-55°	180°	Zone AA
MURC130	70	617158	8196758	545	-55°	180°	Zone AA
MURC131	70	617198	8196781	553	-55°	180°	Zone AA
MURC132	70	615199	8195666	557	-55°	090°	Zone DD
MURC133	70	615237	8195669	552	-55°	090°	Zone DD
MURC134	70	615261	8195707	545	-55°	090°	Zone DD
MURC135	70	615286	8195666	544	-55°	090°	Zone DD
MURC136	75	615316	8195664	540	-55°	090°	Zone DD
MURC137	70	615066	8195569	578	-55°	090°	Zone DD
MURC138	80	615087	8195586	581	-55°	090°	Zone DD
MURC139	70	615120	8195582	577	-55°	090°	Zone DD
MURC140	250	615603	8195503	509	-90	000°	SE Zone DD
MURC141	200	616402	8194155	477	-55°	225°	Zone MAG1
MURC142	200	616471	8194223	476	-55°	225°	Zone MAG2

¹Previously reported hole.