

Corporate Presentation 2013

Disclaimer

This presentation contains forward looking statements that are subject to risk factors associated with the USA Oil and Gas business. It is believed that the expectations reflected in these statements are reasonable, but they may be affected by a range of variables and changes in underlying assumptions which could cause actual results or trends to differ materially, including but not limited to price fluctuations, actual demand, currency fluctuations, geotechnical factors, drilling and production results, gas commercialisation, reserve estimates, loss of market, industry competition, environmental risks, physical risks, legislative, fiscal and regulatory developments, economic and financial market conditions in various countries and regions, political risks, project delay or advancement, approvals and cost estimates.

Subject to its legal obligations, the Company does not undertake to provide updates or revisions of any forward-looking statements contained in this document. No representation or warranty, express or implied, is made as to the accuracy, completeness or adequacy of the statements or information contained in this document and to the maximum extent permitted by law the Company and its related bodies corporate, directors, officers, agents and employees disclaim any liability for any loss or damage arising from the use or reliance on anything contained in or omitted from this document.

Asset Valuation: Independent Qualified Person's Report prepared by Snowden Mining Industry Consultants Pty Ltd. The Qualified Person with overall responsibility for the report is Mr Craig Morley. Mr Morley is a director and full time employee of Snowden. Mr Morley is a Fellow of the Australasian Institute of Mining and Metallurgy (AusIMM) and is recognised as a Chartered Professional Geologist within that organisation. He is a Competent Person under the requirements of the VALMIN Code and a Member of the Geological Society of Australia. Mr Morley consents to the inclusion in the report of the matters based on the information, in the form and context in which it appears. See Table B below for a summary of the mineral asset valuation for NEC.

Blair Athol Resources: The information in this report relating to exploration results and coal resources is based on information compiled by Mr Troy Turner who is a member of the Australasian Institute of Mining and Metallurgy and is a full time employee of Xenith Consulting Pty Ltd. Mr Turner is a qualified geologist and has sufficient experience which is relevant to the style of mineralisation and type of deposit under consideration and to the activity which he is undertaking, to qualify as Competent Person as defined in the 2012 Edition of the "Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves." Mr Turner consents to the inclusion in the report of the matters based on the information, in the form and context in which it appears.

Blair Athol Reserves The information in this report relating to reserve estimates is based on information compiled by Mr John Cawte who is a member of the Australian Institute of Mining and Metallurgy and is a full time employee of Xenith Consulting Pty Ltd. Mr Cawte has sufficient experience which is relevant to the style of mineralisation and type of deposit under consideration and to the activity which he is undertaking, to qualify as Competent Person as defined in the 2012 Edition of the "Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves". Mr Cawte consents to the inclusion of the matters based on the information, in the form and context in which it appears.

All other Resources: The information in this document, where indicated, relating to coal resources is based on information compiled by Troy Turner, who is a member of the Australian Institute of Mining and Metallurgy who is employed by Xenith Consulting Pty Ltd. Mr Turner has sufficient experience which is relevant to the style of mineralisation and type of deposit under consideration and to the activity which they are undertaking to qualify as a competent person as defined in the 2004 Edition of the "Australasian Code for Reporting Exploration Results, Mineral Resources and Oil Reserves". Mr Turner consents to the inclusion in the document of the matters based on their information in the form and context in which it appears.

Teresa Reserve: The information in this document, where indicated, relating to coal resources is based on information compiled by Jeremy Busfield, who is a member of the Australian Institute of Mining and Metallurgy who is employed by Minecraft Consulting Pty Ltd. Mr Busfield has sufficient experience which is relevant to the style of mineralisation and type of deposit under consideration and to the activity which they are undertaking to qualify as competent persons as defined in the 2004 Edition of the 'Australian Code for Reporting Exploration Results, Mineral Resources and Ore Reserves'. Jeremy Busfield consents to the inclusion in the document of the matters based on their information in the form and context in which it appears.

The oil resources estimates for the Alaska Region were compiled by Scott J Wilson, of Ryder Scott Company LP who is qualified in accordance with ASX listing rule 5.11 and who has consented to the form and content in which this statement appears.

The oil resource estimates for the Wyoming Region were compiled by James L. Baird of Ryder Scott Company LP who is qualified in accordance with ASX listing rule 5.11 and who has consented to the form and content in which this statement appears.

The oil resource estimates for the Gulf Coast Region were compiled by Rodger L. Walker of Haas Petroleum Engineering Services, Inc. who is qualified in accordance with ASX listing rule 5.11 and who has consented to the form and content in which this statement appears.

The valuations for the Alaska Region and Wyoming Region were compiled by Wood Mackenzie. Wood Mackenzie does not warrant or represent that the Information is appropriate or sufficient and has not taken into account the purposes for which the Information is used and you acknowledge and agree that if you use or rely upon the Information for any purpose then you shall do so entirely at your own risk.





Peter Bond

Managing Director

and CEO





Adam Bond
President
Clean Energy





- or personal use only

- First Commercial UCG Agreement signed
- Growth in pipeline of several commercial UCG partnerships internationally
- First revenue generated within Clean Energy division
- World leading standard of UCG technology acknowledged by ISP1
- Two year anniversary of G5 operation at Chinchilla
- Decommissioning of Chinchilla Demonstration facility announced





- Long on coal, short on gas / liquid fuel
- Strong commercial proposition
- Strong government and regulatory support
- Strategic partner in the region



Europe





LLC YakutMinerals

- Services Agreement and LoI executed in June 2013
- Assess potential for UCG and GTL in North Eastern Russia
- Key drivers:
 - Reliable and long term supply of clean diesel into Chukotka
 - Currently paying >US\$200/bbl for diesel
- Export of diesel also being assessed
- Site evaluation and selection commenced in August 2013
- Screening Study due to conclude in December 2013
- Funded by YakutMinerals










LLC YakutMinerals

Clean Energy

or personal use only







-or personal use only

LLC YakutMinerals

Clean Energy

Anadyr







-or personal use only

LLC YakutMinerals

Prospective UCG site near Anadyr







Poland

Clean **Energy**





Exploration Program Status

- Linc Energy commenced exploration drilling program in September 2012
- First phase of program completed in Q3 2013







Poland

Clean Energy

Actively engaged with the highest levels of the Polish Government, encouraged by response

Current annual natural gas demand in Poland is approx. 15bn Nm³

- Approx. 11bn Nm³ currently imported
- Potential to displace a large percentage of the gas imported
- Significant activity expected towards commercial UCG project over the next 12 months










For personal use only

Poland







D.TEK Oil & Gas

- Agreement signed in November 2012 to assess UCG to SNG near Donetsk, Ukraine
- Significant opportunity to enhance energy independence in Ukraine
- Several of D.TEK's coal resources currently under assessment
- Ambitious timelines for commercialisation set by both companies











D.TEK Oil & Gas

Clean **Energy**

or personal use only Russia Belarus Poland Ukraine Slovakia Hungary Romania Bulgaria Turkey Beneficiation plant Waste processing plant Waste piles









Exxaro

- First commercial UCG agreement with Exxaro 30 May 2013
- First project expected to be power generation
- Concept engineering underway
- Bankable feasibility study targeted for mid-2015
- Performance testing targeted for 2017
- First tranche of \$30m licence fee received
- Revenues thereafter derived from engineering fees, royalties and dividends from JV












Exxaro











Wyoming



- G6 Licence application deemed complete by WDEQ – Sept 13
- Proposal meets US Federal and State based regulatory requirements for UCG
- Major achievement for Wyoming and Brisbane Clean Energy Team
- Timing of G6 roll out dependent on capital allocation priorities across the business



- or personal use

- Undertook market sounding in Anchorage
- Continuing to assess local gas supply to power plant
- Also assessing sizeable SNG project (with export potential)









Asia

- Asia represents largest global coal gasification opportunity
 - 30.3 bn Nm³ of SNG from surface coal gasification either commissioned or under construction in China alone (Source: Nomura China Gasification report, January 2013)
- Executed funded site assessment studies in the Asia region
- Working with government agencies and regulators in Asia regarding UCG regulations
- Actively evaluating opportunities in China, Mongolia and Indonesia









- or personal use

- Independent Scientific Panel Report (ISP) released
- Cease operations at Chinchilla after 14 successful years
- Focus of Chinchilla now on decommissioning and rehabilitation
- Ongoing lack of Queensland Government UCG policy direction

	SCIENTIFIC PANEL REPORT UND COAL GASIFICATION
Ave. 2417	
(Introduced Enlipsember Scot	etjis hari je tsirajansi tai taqisisa (ti
	annata liberal hotale. No liment, d'Essenteni Denna ligitarrag. De limente d'Essenteni
In helpsy the Cell SS (see	






The Next 12 Months



- or personal use
- Conversion of Screening Studies into Licence Agreements
- Advance our first UCG project in Poland
- Identify first UCG project in China
- Further enhancement of project pipeline into key regions
- Cost recovery of Clean Energy Division operational expenditure





Scott Broussard
President
Oil & Gas



Conventional Oil & Gas

Oil & Gas

Conventional oil & gas assets across three core areas in the U.S. - Gulf Coast, Wyoming and Alaska




Key highlights


- ✓ High quality, oil levered, conventional reserve base
- ✓ Significant upside potential via 155 mmboe Umiat oil field development



Conventional O&G reserve base(1)(2)(3)



Total reserves pre-tax PV-10(1)(2)(3)





⁽²⁾ Ryder Scott Report Alaska dated 12 September 2013

Ryder Scott Report Wyoming dated October 2013.



Gulf Coast Region

For personal use only

Gulf Coast HULL FIELD PORT NECHES LINC ENERGY **EXPLORATION LICENSES** & APPLICATIONS Leane Area

Oil & Gas



Gulf Coast

Oil & Gas

Asset overview

- Primary Gulf Coast oil fields are associated with salt domes or salt related structures
- Production from stacked reservoirs primarily in Miocene and Frio sands at depths to 7,500 feet
- Minimal historical drilling below 7,500 feet (geopressure)
- Deeper drilling potential (Yegua, Hackberry, and Wilcox)
- Significant 3-D seismic coverage (reprocessing for subsalt)

Production growth (boepd, gross)(2)



Summary statistics

Total Proved Reserves⁽¹⁾ 12.9 mmboe

Percent Oil: 96%


PV-10: US\$601.4 million

Fields: 14 (13 producing)

Acreage: 13, 537 acres

Producing Wells: 130

Experienced team combined with 3D seismic to unlock reserve potential.



⁽²⁾ Linc Energy has an 87.5% working interest in four of its wells.



⁽³⁾ As at 6 October 2013.

Oil Production Economics

Oil & Gas

Illustrative EBITDAX Margin Calculation¹

Oil Price (\$/BBL)	\$100
--------------------	-------

Less: Operating Expenses (\$/BBL)

or personal use

Total Operating Expenses	(\$33)
G&A	(\$8)
Production and Ad Valorem Tax	(\$6)
Workover	(\$5)
LOE	(\$14)


EBITDAX Margin (\$/BBL)

Production Growth Drives EBITDAX Growth

■ 1,000 gross BOPD can generate approximately \$20 million in incremental EBITDAX

Example of EBITDAX at Various Production Levels

Gross Production		Net Production	Annual Net Produ	ction EBITDAX Margin	EBITDAX
(BOPD)	NRI	(BOPD)	(BBLS)	(\$/BBL)	(\$US Millions)
5,000	76%	3,800	1,387,000 ^l	\$67	\$92
6,000	76%	4,560	1,664,400	\$67	\$111
7,000	76%	5,320	1,941,800	\$67	\$129
8,000	76%	6,080	2,219,200	\$67	\$148
9,000	76%	6,840	2,496,600	\$67	\$166
10,000	76%	7,600	2,774,000	\$67	\$185




^{2.} Example figures for illustrative purposes only




Typical Salt Dome Structure

Barbers Hill salt dome structure

or personal use only



Typical log



Oil & Gas




Barbers Hill / Cedar Point Comparison


Oil

& Gas






Cedar Point Field





Cedar Point vs. Barbers Hill Decline Curve





^{1.} Production is based on State Tracts #126 A-1 and 126-5.

^{2.} Production is average of Barbers Hill wells drilled by Linc Energy.

Cedar Point Onshore Facility

For personal use only






Parker Rig 51B Drilling Cedar Point Well






Miss Betty Support Vessel at Cedar Point Production Platform





Umiat

or personal use only





2013-14 Proposed Winter Drilling Plan & Development Schedule


Oil & Gas

Winter Drilling Plan

or personal

- Drill and test two horizontal wells (#23H and #25)
- Mobilise Kuukpik #5 rig from Seabee pad to 23H location as we are building the snow road to Umiat
- Demobilise all drilling equipment at end of this winter season

2013-2014 Delineation Program





Steiger Hauling Equipment





L-382 Hercules Aircraft Offloading Supplies at Umiat





Mile Marker 10







Wyoming Overview

Oil & Gas

Asset overview

- Estimated recoverable oil reserves of 80 mmbbl of oil using CO₂ EOR strategy from Big Muddy and South Glenrock fields⁽¹⁾
- Potential 10,000 to 15,000 bbl/d tertiary recovery
- Completed 3rd party engineering and reservoir evaluation
- Completed pre-feasibility study of CO2 pipeline routes
- Commenced facilities engineering and design
- Field Overview⁽²⁾
 - Big Muddy Field (Discovered in 1917)
 - OOIP of ~255 mmbbl
 - Production of ~54 mmbbl of oil (21%)
 - South Glenrock (Discovered in 1950)
 - OOIP of ~170 mmbbls
 - Production of ~17 mmbbl (10%)
 - South Cole Creek Field (Discovered in 1948)
 - OOIP of ~41 mmbbls
 - Production of ~17 mmbbl (41%)
 - Plan for new 3D seismic for conventional exploitation

Summary statistics

Total 3P reserves(1): 67.6 mmboe

Percent Oil: 100%

PV-10: US\$1,049.5 million

Fields: 3 (all producing)

Net working interest: 97%

Average Net Revenue Int.: 75%

Acreage: 26,954 acres

Producing Wells: 28







Don Schofield
President
SAPEX



SAPEX

SAPEX Limited



Wholly-owned subsidiary of Linc Energy

Contains all Linc Energy assets in South Australia:

- 11 Petroleum Exploration Licences (PELs)
- 1 Petroleum Exploration Licence Applications (PELA)
- 9 Exploration Licences for Coal and other minerals (ELs)







Acreage Position

For personal use only

SAPEX










Arckaringa Shale Gas & Shale Oil

SAPEX




World Class Potential

- Total acreage position covers
 ~16 million contiguous acres,
 representing ~80% of the Arckaringa
- Large contiguous position provides greater flexibility and optionality for commercial development
- Prospective resources potential for billions of barrels of oil
- Supportive government in South Australia
- Ready for further investment to define optimum development strategy



Deep and Thick Shale Zones


SAPEX





Arckaringa Basin Shale





- Deep areas have most potential
- Approx. 3.5 million acres of "sweet spots"








Hydrocarbon Zone Maps

SAPEX

or personal

Estimated depth to hydrocarbon zones:

- Oil Zone
- Condensate Zone
- Gas Zone





Prospective Resource Summary – Shale Gas and Shale Oil

or personal use only

SAPEX

Unrisked Prospective Resources - Best Estimate Basis (P50)

			BOE
	TCF	MMBBL	(Billions)
Oil (MMBBL)		20,915	20.9
Gas (TCF)	245		40.8
Condensate (MMBBL)		30,578	30.6
Solution Gas (TCF)	16.8		2.8
	262	51,493	95.1



Exploration Program 2014 - 2015

SAPEX





2D Seismic in the Arckaringa Basin

Coring program in Arckaringa Basin



- Additional cores from hydrocarbon zones
- Extensive technical analysis of core
- Additional 2D and 3D seismic surveys
- Test all producible hydrocarbon zones
- Develop stimulation strategy
- Pilot horizontal wells

or personal use of



Deep Core Drilling

SAPEX

Test all producible hydrocarbon zones discovered in drilling





Example of drilling rig set up to core – max depth to 2500m



Arckaringa 2013/14 **Drilling Program** WELL 1305 PROGNOSED STRATIGRAPHY Hydrocarbon Zone Water Coal Seams Mt Toondina Water DELSONA Volatile Oil Condensate 1800 Dry Gas 2450 NOTE: Formation thicknesses not to scale

Proposed Well 1305







Seismic Surveys in Arckaringa Basin

SAPEX





Fairfield Z-nodal system


Vibrator trucks traveling between locations on an Arckaringa station road



or personal use only

Layout- proposed 3D seismic

SAPEX






Acreage Position

For personal use only


SAPEX





Eromanga Basin – PEL 568 & 569 Results of 2013 Gravity Survey

SAPEX



Predicted depth to Base of Permian sediments



Community Engagement

SAPEX



- Traditional Owners
- Pastoral Lease Holders
- Nearby towns and communities
- Health Safety and Environment
- Infrastructure Planning



SAPEX Goal:








Michael Mapp
President
Coal



NEC Introduction



Linc Energy announces a VALMIN compliant valuation for the coal division of \$440M⁽⁶⁾

Once divested / de-merged NEC will be a platform to take advantage of current attractive asset valuations to build a significant coal producer by strategic acquisitions

NEC's strategy includes:

- Management team with operational and turn-around experience in both underground and open-cut operations
- Development of newly acquired and existing conventional coal assets
- Further accretive acquisitions of producing and development assets
- Focus of efficient mining operations and turn-around opportunities

(6) - VALMIN 2005 Compliant - Competent Person Craig Morley, Snowden Mining Industry Consultants











Divestment Strategy

Stage 1 – Increase attractiveness of investment

- Teresa milestones
 - Port Allocation
 - Infrastructure Access
- Acquire a Producing Asset

Stage 2 – Access public equity market

- Merger with listed producing entity (Australian or overseas asset), or
- IPO, trade sale, or
- Linc Energy sell-down dependent on market capacity, price etc, or
- Other divestment option post 2013






Blair Athol Coal Mine






Blair Athol



Source: Queensland Government Department of Mines and Energy

- ✓ 2Mtpa Open-cut mine with 10 years of production life
- ✓ Recommencement of mining in Q2 2014
- ✓ Well known thermal product, with low ash and high moisture
- ✓ Well defined geology
- ✓ Mining lease and EA in place
- ✓ Mining fleet and CHPP on-site
- ✓ Access to existing Port, Rail, Roads, Water, Power and Accommodation drives lower FOB





Project Background

or personal

- Coal division commenced discussions with vendor around the potential acquisition of the Blair Athol Coal mine in September 2012
- On Thursday 3rd October all parties executed the Sales & Purchasing agreement
- We are now working through the completion process prior to operations commencing



Summary – Purchase of Assets

or personal use

- Asset purchase of Blair Athol lease and licences including existing rehabilitation liability
- Vendor to pay NEC rehabilitation liability in staged payments from 2016
- Vendor to supply equipment including a Dragline, 3
 Excavators, 6 * 789 RD, 7 Dozers, 4 Loaders, 2 Graders, 2
 water trucks, 1 fuel truck, Workshop, Infrastructure and facilities



Offices and Workshops







1370W Dragline







Major Equipment



1x Hitachi EX 3600 1x Hitachi EX 1800



1x CAT 16G Grader 1x CAT 16H Grader



1x 120t Crane



6x CAT 789B Rear Dump Trucks



2 x Komatsu HD785-5 Water Carts



1x CAT 950 Tyre Handler



1x CAT 994D Frontend Loader



1x CAT 637D Scraper



24 x Light Vehicle Fleet



6 x Cat D11N & D11R Dozers



1x 16t Franna Crane



14 x Lighting Plants



2 x Forklifts



1x CAT 988 Cable Reeler



5 x Diesel Pumps



Summary – Agreements & Timing

- CCJV to provide access to the Clermont product stockpile and loadout facilities
- RTCA to provide port and rail arrangements at a reduction to market rates

Completion

Dersonal use

- Additional deeds and agreements required for completion
- Tenure transfer waiting for Government approval
- During pre completion, commence integration planning including mine planning, Plan of Operations and recruitment





Understanding the Geology

Total 4269 holes in the BA geological model

3076 holes intersected Seam 4

618 cored holes
2458 open holes
283 old cored holes +
63 new cored holes
were used for working
section washability

modelling

Seam 4 mined out areas



Community Response

Town upbeat as Linc plans local workforce for 'new' Blair Athol

Mine reopening a welcome boost

"Other mining companies should be taking note and start behaving this way, thinking about the towns around them and the impact FIFO has on them."

"It's very, very positive and I wish more companies would follow their lead and look at locals," said Mr Pearce.

Linc loyal to locals


For the Clermont community that news was probably the best they had heard in a long time.







Teresa




Source: Queensland Government Department of Mines and Energy


- ✓ 6Mtpa Long-wall Underground Mine
- ✓ Thermal and PCI products possible, with good blending properties
- ✓ Total JORC Probable Marketable Reserve of 47Mt
- ✓ JORC Coal Resource of 298Mt (82Mt Indicated, 216Mt Inferred), includes Reserve tonnages
- ✓ EIS submitted in June 2013 with approval expected in 2014
- ✓ Mining lease applications have been submitted and approval is expected in late 2014
- ✓ First coal late 2016 (2Mtpa); full production in 2018 at 6Mtpa for over 20 years
- ✓ Access to existing Port, Rail, Roads, Water, Power and Accommodation drives lower FOB





Teresa







Growth - Turnaround Acquisitions

Current market provides the opportunity to acquire producing and late stage development assets from major coal producers

- Blair Athol establishes credibility
- Potential to generate cost reductions by using more efficient mining practices
 - Lower overheads reduced management and workforce structures focused on turnaround operations
 - Greater resource recovery use of technology to access coal not economically recoverable through conventional methods - PBE
- Revenue and capital

or personal

- NEC will bring in specialist coal marketers to reposition products to maximise realised prices and reduce variability of forward pricing
- Potential to obtain capital and funding from off-take parties



NEC Highlights

Low risk:

or personal use only

- Cash flow early
- Producer, acquirer and developer of production
- Strong, proven operational management team
- Large opportunity in current market:
 - Acquisition pipeline
 - Self-sustaining business during growth phase
 - Future opportunity through development and exploration





Questions linc@lincenergy.com

Direct Your Questions

CLEAN ENERGY

Adam Bond

OIL & GAS

Scott Broussard

SAPEX

For personal use only

Don Schofield

COAL

Michael Mapp

MD/CEO

Peter Bond

