

ASX Announcement

2 September 2015

New findings: Carbon from S.A. graphite deposit shown to boost plant growth

Highlights

- Results from 30-day University of Adelaide wheat trials show that plant growth is significantly enhanced by the addition of raw unprocessed graphite from Archer's Sugarloaf deposit in SA
- Graphite from the Sugarloaf deposit on Eyre Peninsula:
 - Can be used as a natural nutrient soil conditioner
 - Improves water retention of the soil
 - Contains and releases a range of macro and micro nutrients essential to plant growth
- Macro and micro nutrients are present in both soluble and slow release forms
- No processing of the Sugarloaf graphite resource is required
- These results enhance the prospects of a second graphite project in addition to the high purity, battery grade graphite found at Archer's neighbouring Campoona, Central Campoona and Lacroma deposits.

Archer Exploration Limited (ASX: "AXE") is pleased to announce that testing by the University of Adelaide has shown that plant growth is significantly boosted when raw graphite from Archer's Sugarloaf deposit is used as a soil conditioner.

Archer's Managing Director, Mr Gerard Anderson, said "The latest test results from our Sugarloaf deposit support the previous findings and the possible development of the large deposit as a low cost, but potentially high value agricultural product.

"This has the potential to be a second commercially viable graphite project in addition to our high quality, battery grade graphite that we have found at the Company's neighbouring Campoona, Campoona Central and Lacroma projects," Mr Anderson said.

Archer Exploration Limited

Level 1, 28 Greenhill Rd Wayville SA 5034

www.archerexploration.com.au

For personal use only

“Tests to date are showing that the manufacture of a saleable Sugarloaf product should be fairly simple, involving mining, crushing and bagging. No further processing is required,” he said.

“Fertiliser prices in Australia have been steadily increasing due to rising demand and a falling Australia dollar which makes this an attractive market for us to participate in. With South Australia’s rich agricultural heritage we see the development a new locally manufactured fertiliser business being well received by the State’s croppers and graziers,” said Mr Anderson.

Sugarloaf carbon is not typically crystalline graphite; it is unique because of its broad composition of carbon, silica, and soluble macro and micro nutrients. Previous testing showed the Sugarloaf deposit contains 11 out of 13 elements required as nutrients for plant growth.

The University’s latest plant trials were undertaken to test whether the unique properties of the Sugarloaf carbon made it potentially suitable as a soil conditioner/fertilizer.

Archer’s Sugarloaf graphite deposit is located next to Archer’s proposed graphite processing plant on South Australia’s central Eyre Peninsula. Previous drilling has supported an Exploration Target of 40 – 70 million tonnes at a grade of 10 -12% TC. However, whilst the Exploration Target is large, the potential quantities and grades presented in the Exploration Target are conceptual in nature, there has been insufficient exploration to define an overall Mineral Resource and it is uncertain if further exploration will result in the determination of a Mineral Resource.

Test results

Visual observation of preliminary results (Figure 1) show that soil spiked with Sugarloaf carbon significantly increases shoot and root length of the wheat and the thickness of the wheat stalks are appreciably thicker after 7 days.

For personal use only




Figure 1: Wheat growth for Day 7: A: position of pots in incubator, B: wheat growth in pots, C- E: difference in shoot and root lengths of wheat for (left to right) zero (control sample), 7.5g, 15g and 30g Sugarloaf graphite samples.

Other test work by the University of Adelaide also showed that raw Sugarloaf graphite reduces soil water loss due to evaporation (Table 1). This means the Sugarloaf graphite is able to improve soil wettability.

Mass of SLG in soil (g)	Water loss (%)
5 g	86 ± 1.1
10 g	112 ± 0.6
20 g	49 ± 0.8

Table 1: Percentage of water loss for the different spiked soil with Sugarloaf Graphite (SLG)

Test methodology

The University of Adelaide conducted a series of tests using raw Sugarloaf graphite, including plant trials. Soil used in the plant trials was sourced from Archer's wholly owned farm on which Sugarloaf is located. Three grains of wheat were placed into small pots, each containing 120g of Sugarloaf soil and varying amounts of Sugarloaf graphite (7.5, 15 and 30g). The control pot had no Sugarloaf graphite.

For the plant trials, 3 grains of wheat were placed into each pot. The soil (120g) was spiked with different amounts of Sugarloaf carbon (7.5, 15 and 30g). The soil content (80 g) was fixed at a relative humidity of 20 % and incubated at a temperature of 25 °C. The soil was watered everyday with distilled (DI) water and the release of nutrients in the soil was measured at certain time intervals (7, 14, 21 and 28 days) for a period of 1 month.

Monitoring of soil and plant studies is in progress and will include measuring soil pH before and after planting, measuring wheat shoot and root lengths and acid digestion of shoots and roots to determine nutrient up-take to the plants.




Figure 2: Experimental set up for plant studies: (a) soil preparation, (b) planting seeds, and (c) incubation of pots for monitoring plant growth (temperature 25 °C).

To examine the loss of water in the different spiked soil with Sugarloaf carbon the soil conditioning experiments were repeated but left un-watered for 3 days.

Sugarloaf is a very large mineral occurrence. Whilst the carbon has proven difficult to extract as a commercial graphite concentrate, it has proven to be very effective as a soil conditioning agent and a slow release fertilizer that also increases soil wettability and plant growth.

Many of Australia's soils are ancient skeletal soils which have been heavily leached of the nutrients needed by plants to support vigorous plant growth. Productive farming ventures rely heavily on the application of high-cost fertilizers in order to achieve commercial cropping operations. Much of the fertilizer applied by farmers can be lost due to adverse weather (especially in heavy rainstorm events) and fertilizer has to be applied each year as little to none is retained in the soil.

Whilst additional research is needed, Sugarloaf has the potential to provide a stable, natural and long-life product that will be retained in the soil to build up soil condition and improve water retention.

Further results of the plant and soil trials and results from additional test work will be released over the coming weeks.


For further information please contact:

Mr Greg English
 Chairman
 Archer Exploration Limited
 Tel: (08) 8272 3288

Mr Gerard Anderson
 Managing Director
 Archer Exploration Limited
 Tel: (08) 8272 3288

The exploration results and exploration targets reported herein, insofar as they relate to mineralisation, are based on information compiled by Mr. Wade Bollenhagen, Exploration Manager of Archer Exploration Limited. Mr. Bollenhagen is a Member of the Australasian Institute of Mining and Metallurgy who has more than twenty years' experience in the field of activity being reported. Mr Bollenhagen has sufficient experience which is relevant to the style of mineralisation and type of deposit under consideration and to the activity that he is undertaking to qualify as a Competent Person as defined in the 2012 Edition of the "Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves" relating to the reporting of Exploration Results. Mr. Bollenhagen consents to the inclusion in the report of matters based on his information in the form and context in which it appears.

Archer Exploration Limited is an Australian Stock Exchange listed company with 100% ownership of 15 tenements all in South Australia covering more than 5,000 km².



Advanced Graphite Projects
 Campoona  Sugarloaf  Wilclo South



Priority 1 and 2 targets:
 Graphite  Magnesite  Manganese  Copper  Gold

For personal use only