



# ACTIVITIES REPORT FOR THE QUARTER ENDED 31 DECEMBER 2016

#### (All references in this report are to US\$, unless otherwise stated)

	Q4 2016	Q3 2016	Q2 2016	Q1 2016	2016
Copper produced (tonnes)	4,925	6,491	5,541	6,162	23,119
Cash operating costs (\$/lb)	\$1.96	\$1.54	\$1.40	\$1.44	\$1.59

#### **Operational Summary**

- Revised 2016 production guidance achieved with 23,119 tonnes of copper cathode produced.
- Debottlenecking capital works program completed to expand Kipoi plant's nameplate production capacity to 32,500tpa copper cathode.
- Final drawdown of Senior Financing Facility completed.
- Grid power utilisation for the quarter of 85%.
- Three separate high priority copper mineralised areas within 500m of Kipoi Central pit reaffirmed.

# **OPERATIONS - KIPOI COPPER PROJECT, Democratic Republic of Congo ("KIPOI")**

### Overview

Copper cathode production for the quarter was 4,925 tonnes. Production was lower than planned due to a leak in the ILS Intermediate Leach Solution) pond which is integral to the production of copper from the Heap Leach circuit (see ASX Announcement 25 October 2016). Prompt action averted any impacts to the environment. Remedial work will be undertaken at the end of the wet season to bring the ILS pond back to full production levels and an additional ILS Pond will be constructed.

As a direct result of the ILS pond damage, cash operating costs for the quarter were \$1.96/lb of copper produced, with an AISC of \$2.17/lb. A total of 4,956 tonnes of copper cathode was sold at a realised price of \$5,274/t.

#### Table A: Summary of Kipoi SXEW plant production, sales and costs

KIPOI SXEW PLANT PRODUCTION, SALES AND COSTS SUMMARY FOR THE QUARTER ENDED 31 DECEMBER 2016						
		Q4 2016	Q3 2016	Q2 2016	Q1 2016	2016
				Q_ 1010	Q1 1010	
PRODUCTION						
Ore stacked	Tonnes	342,079	414,339	314,349	219,328	1,290,095
Head grade	TCu %	1.45	1.78	2.20	4.39	2.45
Head grade <sup>1</sup>	AsCu %	1.21	1.46	1.28	2.24	1.48
Copper stacked	AsCu t	4,130	6,061	4,031	4,920	19,142
Copper-in-circuit	AsCu t	5,695	7,061	6,762	7,596	5,695
Copper produced	Tonnes	4,925	6,491	5,541	6,162	23,119
CATHODE SALES						
Copper cathode sold	Tonnes	4,956	6,656	6,052	6,363	24,027
Sales	\$'000	26,142	31,787	29,003	29,568	116,500
Realised copper price	\$/t	5,274	4,776	4,792	4,647	4,849
LME Grade A copper price	\$/t	5,277	4,772	4,728	4,671	4,862
CATHODE STOCKPILE						
Copper cathode	Tonnes	757	789	954	1,465	757
OPERATING COSTS						
Mining	\$/lb	0.29	0.22	0.18	0.12	0.20
Processing	\$/lb	0.92	0.78	0.56	0.63	0.72
Site administration & support	\$/lb	0.49	0.28	0.40	0.41	0.39
Selling & export clearing	\$/lb	0.26	0.26	0.26	0.28	0.28
Cash operating cost	\$/lb	1.96	1.54	1.40	1.44	1.59
ROM inventory adjustment	\$/lb	0.00	0.00	0.11	0.13	0.06
C1 costs	\$/lb	1.96	1.54	1.51	1.57	1.65
	<b>Ο</b> Ι <b>Ι</b> ς	1.90	1.54	1.51	1.57	1.05
Royalties	\$/lb	0.11	0.09	0.10	0.09	0.09
Sustaining capital	\$/lb	0.10	0.10	0.07	0.03	0.08
Non-cash ROM inventory adj.	\$/lb	0.00	0.00	(0.11)	(0.13)	(0.06)
AISC	\$/lb	2.17	1.73	1.57	1.56	1.76

<sup>&</sup>lt;sup>1</sup> Acid soluble copper (AsCu) grade excludes chalcocite component of HSO material (~33% of total copper) of which 80% is expected to be recovered in the heap leach.

#### Production

Kipoi produced 4,926 tonnes of copper cathode for the quarter. The ILS pond damage directly contributed to the lower cathode production level and increased costs per unit of production. To compensate for the unavailability of the ILS Pond a smaller decant pond is being used as a temporary ILS pond and acid consumption in the agglomerator temporarily increased to assist recoveries. Late in the quarter operations were able to recommence two-stage leaching to lift the PLS grade and improve copper cathode output.

A total of 342,079 tonnes of ore reclaimed from the low grade ore stockpiles was stacked on the heap leach pads with a calculated AsCu grade of 1.21%.

Mining recommenced at Kipoi Central during the quarter, with 103,652 tonnes of waste material mined from the Kipoi Central pit.

#### **Operating costs**

Cash operating costs for the quarter of \$1.96/Ib and all-in sustaining costs \$2.17/Ib, impacted by the loss of the ILS pond.

Mining, stockpile reclaim and civil costs of \$0.29/lb include increased costs incurred related to longer haul distances, additional dust suppression and unplanned repairs required to access ramps.

In addition to the impact on unit costs from lower production, the processing costs of \$0.92/lb continued to account for increased costs of crushing and screening +5mm material for the heap leach and stockpiling the -5mm material for further classification. Electricity supplied from the national grid supplier provided 85% of requirements for the quarter, the best percentage achieved for Kipoi to date.

Site administration and support unit costs of \$0.49/lb were also impacted by the lower copper production as well as higher employee-related taxes.

#### Sales of copper cathode

Sales for the quarter were 4,956 tonnes of copper cathode at a realised average copper price of \$5,274/t. This compares to the average LME Grade A copper price of \$5,277/t.

#### Safety and Environment

No Lost Time Injuries (LTIs) were reported during the quarter and Tiger remains focused on promoting safety as a number one priority.

Tiger prevented a serious environmental incident by early identification of the leak from the ILS pond. All flow to the ILS pond was ceased immediately and a diversion trench was excavated to divert the ILS flow to the process pond. The estimated volume of ILS solution released was approximately 10-30m<sup>3</sup>, and this was neutralised with lime and recovered to the site waste disposal area. The leakage source was identified and repaired to prevent any further potential environmental damage.

Ongoing monitoring by environmental officers has confirmed no downstream contamination and the site has undergone inspection by local mine and environment authorities.

## **Kipoi Debottlenecking**

The debottlenecking capital works program was successfully completed. This expands Kipoi's SXEW nameplate production capacity by 30% from 25,000 to 32,500 tonnes per annum of copper cathode.

- The expanded electro-wining cells (14) were successfully tied into the existing facility and have commenced commercial production.
- The new Tank Leach (TL) facility was completed late in the quarter and is currently being commissioned.
- The coffer dam, a smaller dam contained within the larger Tailings Storage Facility (TSF-3), has been commissioned. This coffer dam has sufficient capacity to contain all tailings from the TL until the completion of the HDPE lining of the larger TSF-3 post the wet season.

Refer to the "Debottlenecking Progress in Pictures" on our website: <u>http://tigerresources.com.au/debottlenecking\_pics\_.1205.html</u>

# Mine Development

Geological reviews have reconfirmed three previously identified high priority copper mineralised areas located within 500m of Kipoi Central Pit. The Company intends to investigate these as a priority, as their close proximity to the Kipoi Central pit could impact development activities.

Independent consultants Lycopodium have prepared an updated Life-of-Mine (LOM) Plan for Kipoi to support existing and ongoing financing activities. This report is under final review, and the Company expects to announce further details during Q1 2017.

# **Refundable VAT Outstanding**

As at 31 December 2016, SEK had a VAT receivable balance of \$14.5 million. No VAT refunds were received during the quarter, however the Company continues to expect that the VAT amounts due will be recovered in full once the DRC government resumes disbursements.

#### **Cash & borrowings**

As at 31 December 2016, Tiger held cash on hand and deposit of \$7.4 million (30 September 2016: \$5.6 million). The balance of copper cathode inventory on hand was 757 tonnes with a sales value of approximately \$4.2 million.

Borrowings as at 31 December 2016 comprised of \$166.0 million of secured facilities and \$22.8 million of short-term facilities provided by DRC banks.

After taking into account positive cash flows from the Kipoi operations, cashflows for the quarter were as follows:

- \$12.2 million of capital expenditure, made up of \$10.8 million for the Kipoi Debottlenecking Project and \$1.4 million for sustaining capital expenditure;
- \$19.5 million of senior facility drawdowns;
- \$0.9 million of debt service costs;
- \$3.4 million increase in trade receivables;
- \$0.1 million increase in trade creditors and accruals;
- \$0.4 million of DRC provisional income tax payments; and
- \$0.8 million increase in VAT due for refund.

For further information in respect of Tiger's activities, please contact:

Mark Connelly	Michael Griffiths	Nathan Ryan
Chairman	CEO	Media
Tel: (+61 8) 6188 2000	Tel: (+61 8) 6188 2000	Tel: (+61 0) 420 582 887
Email: <u>mconnelly@tigerez.com</u>	Email: <u>mgriffiths@tigerez.com</u>	Email: <u>nryan@tigerez.com</u>

#### Company website: <u>www.tigerresources.com.au</u>

**Caution Regarding Forward Looking Statements and Forward Looking Information:** This announcement contains forward looking statements and forward looking information, which are based on assumptions and judgments of management regarding future events and results. Such forward-looking statements and forward looking information involve known and unknown risks, uncertainties, and other factors which may cause the actual results, performance or achievements of the Company to be materially different from any anticipated future results, performance or achievements expressed or implied by such forward-looking statements. Such factors include, among others, the actual market prices of copper, the actual results of current exploration, the availability of debt and equity financing, the volatility in global financial markets, the actual results of future mining, processing and development activities, receipt of regulatory approvals as and when required and changes in project parameters as plans continue to be evaluated. Except as required by law or regulation (including the ASX Listing Rules), Tiger Resources undertakes no obligation to provide any additional or updated information whether as a result of new information, future events or results or otherwise. Indications of, and guidance or outlook on, future earnings or financial position or performance are also forward looking statements.

**Production Targets:** All Production targets referred to in this Report are underpinned by estimated Ore Reserves which have been prepared by competent persons in accordance with the requirements of the JORC Code.

SXEW forecast financial information: Reference ASX market release titled "Kipoi Operations and Funding Update" dated 25 October 2016).

#### Competent Person Statement:

The information in this report that relates to Exploration Results is based on, and fairly represents information and supporting documentation prepared by Mr. Michael Griffiths, a Competent Person who is a Fellow of the Australasian Institute of Mining and Metallurgy. Mr. Griffiths is a Director of the Company. Mr. Griffiths has sufficient experience that is relevant to the style of mineralisation and type of deposit under consideration and to the activity being undertaken to qualify as a Competent Person as defined in the 2012 Edition of the "Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves". Mr. Griffiths consents to the inclusion in this report of the matters based on his information in the form and context in which it appears.

The information in this report that relates to the Mineral Resources and Ore Reserves were first reported by the Company in compliance with JORC 2012 in market releases dated as follows:

Kipoi Central, Kipoi North and Kileba Ore Reserves (Stage 2 SXEW) – 16 April 2015;

Kipoi Central, Kipoi North and Kileba Mineral Resources – 16 April 2015;

Judeira Mineral Resource – 26 November 2013; and

Sase Central Mineral Resource - 12 July 2013.

The Company confirms that it is not aware of any new information or data that materially affects the information included in the market announcements referred to above and further confirms that all material assumptions and technical parameters underpinning the ore reserve and mineral resource estimates contained in those market releases continue to apply and have not materially changed.

### KIPOI COPPER PROJECT, KATANGA PROVINCE, SOUTH-EAST DEMOCRATIC REPUBLIC OF CONGO (TIGER 95% at 31 December 2016)

	Table B: Kipoi Minera	al Resource							
			Kipoi Miner	al Resource					
>>	Mining depleted to 31 December 2015								
$\leq$	Kipoi Central grade tonnage reported above a cut off of 0.3% Copper								
	Kileba, Kipoi North and Judeira grade tonnage reported above a cut off of 0.5% Copper								
	Classification	Deposit	Tonnes	Cu Grade	Co Grade	Copper	Cobalt		
	Classification	Deposit	(MT)	(%)	(%)	(000'T)	(000'T)		
$\bigcirc$									
	Measured	Kipoi Central	5.9	2.3	0.14	136	8.1		
	Indicated	Kipoi Central	40.4	1.1	0.06	443	25.9		
21	Indicated	Kipoi North	4.0	1.3	0.05	54	1.8		
YV	Indicated	Kileba	8.6	1.5	0.05	128	4.6		
26	Total Measured & I	Indicated	58.9	1.3	0.07	761	40.4		
リノ	Inferred	Kipoi Central	2.9	0.8	0.07	23	2.1		
	Inferred	Kipoi North	1.0	1.1	0.03	12	0.4		
)	Inferred	Kileba	2.2	1.2	0.04	27	0.9		
	Inferred	Judeira	6.1	1.2	0.04	71	2.2		
	Total Inferred		12.2	1.1	0.05	133	5.6		
N	Total		71.1	1.3	0.06	894	46.0		
	Table C: Kipoi Stage 2	К	ipoi Stage 2 SXE ing depleted to tonnage report	W Ore Reserves 31 December 20 red above a cut c	9 <b>15</b> 9 <b>15</b> 9ff of 0.3% Copp	er	46.0		
	Table C: Kipoi Stage 2	K Min Kipoi Central grade	<b>ipoi Stage 2 SXE</b> <b>ing depleted to</b> tonnage report grade tonnage re	W Ore Reserves 31 December 20 red above a cut c	9 <b>15</b> 9 <b>15</b> 9ff of 0.3% Copp	er Copper e <b>Co</b>	46.0 pper 00'T)		
	Table C: Kipoi Stage 2 Ki Classification	K Min Kipoi Central grade poi North and Kileba g Deposit	<b>ipoi Stage 2 SXE</b> <b>ing depleted to</b> tonnage report grade tonnage re	W Ore Reserves 31 December 20 ed above a cut o eported above a Tonnes (MT)	9 <b>15</b> off of 0.3% Copp cut off of 0.5% ( Cu Grade (%)	er Copper e <b>Co</b>	pper D0'T)		
	Table C: Kipoi Stage 2 Ki Classification	K Min Kipoi Central grade poi North and Kileba g Deposit Kipoi Central	<b>ipoi Stage 2 SXE</b> <b>ing depleted to</b> tonnage report grade tonnage re	W Ore Reserves 31 December 20 red above a cut o eported above a Tonnes (MT) 1.7	0 <b>15</b> off of 0.3% Copp cut off of 0.5% ( Cu Grade (%) 2.6	er Copper e <b>Co</b>	ррег 00'Т) 45		
	Table C: Kipoi Stage 2 Ki Classification Proven Proven	K Min Kipoi Central grade poi North and Kileba g Deposit	<b>ipoi Stage 2 SXE</b> <b>ing depleted to</b> tonnage report grade tonnage re	W Ore Reserves 31 December 20 red above a cut of eported above a Tonnes (MT) 1.7 4.0	0 <b>15</b> off of 0.3% Copp cut off of 0.5% ( Cu Grado (%) 2.6 2.2	er Copper e Co (Od	pper 00'T) 45 89		
	Table C: Kipoi Stage 2 Ki Classification	K Min Kipoi Central grade poi North and Kileba g Deposit Kipoi Central	<b>ipoi Stage 2 SXE</b> <b>ing depleted to</b> tonnage report grade tonnage re	W Ore Reserves 31 December 20 red above a cut o eported above a Tonnes (MT) 1.7	0 <b>15</b> off of 0.3% Copp cut off of 0.5% ( Cu Grade (%) 2.6	er Copper e Co (Od	ррег 00'Т) 45		
	Table C: Kipoi Stage 2 Ki Classification Proven Proven	K Min Kipoi Central grade poi North and Kileba g Deposit Kipoi Central	<b>ipoi Stage 2 SXE</b> <b>ing depleted to</b> tonnage report grade tonnage re	W Ore Reserves 31 December 20 red above a cut of eported above a Tonnes (MT) 1.7 4.0	0 <b>15</b> off of 0.3% Copp cut off of 0.5% ( Cu Grado (%) 2.6 2.2	er Copper e Co (Ot	00'T) 45 89		
	Table C: Kipoi Stage 2 Ki Classification Proven Proven Total Proven	K Min Kipoi Central grade poi North and Kileba g Deposit Kipoi Central Kipoi Central Stoc	<b>ipoi Stage 2 SXE</b> <b>ing depleted to</b> tonnage report grade tonnage re	EW Ore Reserves 31 December 20 red above a cut of eported above a Tonnes (MT) 1.7 4.0 5.7	015 off of 0.3% Copp cut off of 0.5% ( Cu Grade (%) 2.6 2.2 2.3	er Copper e Co (Ot	pper D0'T) 45 89 <b>134</b>		
	Table C: Kipoi Stage 2 Ki Classification Proven Proven Total Proven Probable	K Min Kipoi Central grade poi North and Kileba g Deposi Kipoi Central Kipoi Central Stoc Kipoi Central	<b>ipoi Stage 2 SXE</b> <b>ing depleted to</b> tonnage report grade tonnage re	W Ore Reserves <b>31 December 20</b> red above a cut of eported above a Tonnes (MT) 1.7 4.0 <b>5.7</b> 34.3	015 off of 0.3% Copp cut off of 0.5% ( Cu Grade (%) 2.6 2.2 2.3 1.1	er Copper e Co (Od	pper 00'T) 45 89 <b>134</b> 372		
	Table C: Kipoi Stage 2 Ki Classification Proven Proven Total Proven Probable Probable Probable	Kipoi Central grade poi North and Kileba g Deposit Kipoi Central Kipoi Central Kipoi Central Kipoi North	<b>ipoi Stage 2 SXE</b> <b>ing depleted to</b> tonnage report grade tonnage re	W Ore Reserves <b>31 December 20</b> red above a cut of eported above a <b>Tonnes</b> (MT) 1.7 4.0 <b>5.7</b> 34.3 1.9	2.6 2.2 2.3 1.1 1.5	er Copper e Co (Od	pper 00'T) 45 89 134 372 28		

Kipoi Stage 2 SXEW Ore Reserves   Mining depleted to 31 December 2015   Kipoi Central grade tonnage reported above a cut off of 0.3% Copper   Kipoi North and Kileba grade tonnage reported above a cut off of 0.5% Copper						
Classification	Deposit	Tonnes (MT)	Cu Grade (%)	Соррег (000'Т)		
Proven Proven Total Proven	Kipoi Central Kipoi Central Stockpiles	1.7 4.0 <b>5.7</b>	2.6 2.2 <b>2.3</b>	45 89 <b>134</b>		
Probable Probable Probable	Kipoi Central Kipoi North Kileba	34.3 1.9 7.4	1.1 1.5 1.5	372 28 110		
Total Probable		43.6	1.2	510		
Total		49.3	1.3	644		

# LUPOTO COPPER PROJECT, KATANGA PROVINCE, SOUTH-EAST DEMOCRATIC REPUBLIC OF CONGO (TIGER 95% at 31 December 2016)

#### Table D: SASE Central Mineral Resources

SASE Central Mineral Resources July 2013 Grade tonnage reported above a cut off of 0.5% Copper						
Classification	Tonnes	Cu Grade	Co Grade	Copper	Cobalt	
	(MT)	(%)	(%)	(000'T)	(000'T)	
Indicated	9.6	1.39	0.05	134.0	5.0	
Inferred	2.8	1.21	0.03	34.0	1.0	