

8 October 2018

ASX RELEASE

***FURTHER HIGH-GRADE GOLD DRILLING RESULTS FROM THE “GOLDEN MILE” PROJECT. AN ADDITIONAL 8KM OF STRIKE IDENTIFIED.***

***Drilling continues to intersect multiple shallow high-grade gold mineralised reefs at the “Golden Mile” with significant intersections including:***


- *RC drill hole CO18RC009: 11m @ 4.39g/t Au (21-32m) including 6m @ 7.40g/t Au with 2m @ 18.31g/t Au*
- *RC drill hole CO18RC0014: 12m @ 5.00g/t Au (25-37m) including 4m @ 10.00g/t Au with 2m @ 17.0g/t Au*
- *RC drill hole CO18RC0015: 10m @ 4.49g/t Au (23-33m) including 5m @ 6.86g/t Au with 2m @ 15.27g/t Au*
- *Identified multiple high-grade gold reefs within the Golden Mile with over 8km (8,000m) of combined strike presenting numerous near surface drilling targets.*

***Recent drilling validates the maiden drilling results previously released from the Golden Mile including: (Refer ASX announcements 30<sup>th</sup> August 2018, & 10<sup>th</sup> September 2018)***


- *RC drill hole CO18RC001: 8m @ 6.32 g/t Au including 3m @ 15g/t Au, 5m @ 8.81g/t Au and 3m @ 13.91g/t Au.*
- *RC drill hole CO18RC002: 12m @ 2.00 g/t Au including 3m @ 3.49 g/t Au.*
- *RC drill hole CO18RC003: 7m @ 7.60g/t Au (8-15m) including 3m @ 12.01g/t Au (12-15m)*
- *RC drill hole CO18RC004: 9m @ 2.40g/t Au (9-18m) including 4m @ 4.50g/t Au (14-18m)*




*Drilling at the Comstock historic gold reefs within the Golden Mile, Mt Freda Gold Complex.*



X SECTION 1. (Looking South)




X-SECTION 2. (Looking South)




X-SECTION 3. (Looking South West)







X-SECTION 4. (Looking South)



X-SECTION 5. (Looking South)




X-SECTION 6. (Looking South)



Plan 1. Location plan of the Mt Freda complex including exploration sub blocks EPM15923 825U & 825P that adjoin both the Mt Freda ML2752 and the highly prospective high-grade gold tenement EPM 14163 (Refer ASX announcement 7<sup>th</sup> August 2017). Exploration Sub Blocks 825P & 825U contain the Golden Mile project and are subject to a JV (80% AMG: 20% RO) with Round Oak Minerals Pty Limited. **The Golden Mile has a combined strike length of over 8,000m of shallow oxidised gold drilling targets over a suite of historical high-grade gold mines.**





Plan 2. Comstock Drill hole and X-section location plan. Note the Comstock is only one of multiple high-grade gold reefs identified at the Golden Mile along a combined 8km strike length.






Image 1. **Ausmex Mt Freda Complex** containing extensive shallow surface gold, copper and cobalt mineralisation associated with a large Tier 1 IOCG Geophysical and Geochemical target currently being drilled by Newcrest. Note the Ausmex identified EM target at Evening Star is a potential extension of Newcrest's IOCG drilling targets. Source: QLD Gov. Mt Isa TMI GSQ open file dataset Survey GSQ1029 & [Exco IOCG Roadshow release 2012](#) (Refer ASX announcement 27<sup>th</sup> September 2018).

**Ausmex Mining Group (ASX: AMG) (“Ausmex” or “The Company”)** is again pleased to announce additional high-grade gold RC drilling results from the Comstock Gold reefs, located within the “Golden Mile Project”, under a current 80:20 JV with Round Oak Minerals Pty Limited (formerly named CopperChem Pty Ltd), a 100% owned subsidiary of Washington H. Soul Pattinson and Co. Ltd (ASX: SOL).

Additional field work completed by Ausmex Geologists has identified multiple high-grade gold reefs at surface over a combined 8km (8,000m) strike length within the Golden Mile (Refer plan 1). The Company is continuing to drill high-grade gold targets within the Golden Mile aimed at defining a significant JORC (2012) mineral resource estimate along the potential 8km long target zone. The Golden Mile project forms part of the extensive **Mt Freda Gold Complex that contains approximately 30% of a significant Tier 1 IOCG target that is currently being drilled by Newcrest Mining Limited (ASX: NCM) (Refer ASX announcement 27<sup>th</sup> September 2018).**

**Managing Director Matt Morgan stated:**

*“Continuous high-grade gold drilling results at the Comstock Reefs further validates extending the drilling campaign as we unlock the previously hidden potential of The Golden Mile project which resides within the Mt Freda Complex. The drilling to date continues to extend the width and breadth of the project, with the Ausmex field team now identifying over 8,000m of mineralised reefs that are yet to be drilled. As the Golden Mile is located within a Tier 1 IOCG target previously identified by Exco Resources Ltd in 2012, and now currently being drilled by Newcrest Mining Limited, the indicators are that Ausmex is holding a significant mineralised system within the Mt Freda Complex.*

*As the scale of the Mt Freda Complex continues to increase, the potential to host significant shallow economic gold mineralisation dramatically increases. This combined with the option to process ore at the Round Oak Minerals Pty Limited processing facility in Cloncurry strengthens the potential for significant early cash flow for the company.*

*The company plans to systematically drill out each individual historic reef system within the Golden Mile precinct, and continually define additional JORC mineral resource estimates. The Company again has delivered great results for shareholders and with the current and planned drilling within The Mt Freda Complex, it is envisaged that additional results will continue well into the December quarter”.*

#### **Comstock Geology.**

Comstock is hosted within the interbedded meta-sedimentary package (quartzite/sandstone) of the Mt Norna Formation. Gold mineralisation occurs in strongly oxidised, iron and silica altered units. Veining present is likely associated with structural influences that are yet to be determined. Some remnant minor disseminated pyrite was also observed during the logging process. **All drilling samples, recovered to date, were highly oxidised, with the base of weathering yet to be determined.**

**Table 1.** Comstock RC significant assay intersections.

Hole ID	Depth (m)	Au (g/t)	Significant Intersection
CO18RC009	CO18RC009_21_22	2.44	11m @ 4.39g/t Au (21-32m) including 6m @ 7.42g/t Au with 2m @ 18.31g/t Au
	CO18RC009_22_23	0.19	
	CO18RC009_23_24	0.05	
	CO18RC009_24_25	0.66	
	CO18RC009_25_26	0.42	
	CO18RC009_26_27	5.33	
	CO18RC009_27_28	0.85	
	CO18RC009_28_29	1.54	
	CO18RC009_29_30	0.21	
	CO18RC009_30_31	35.6	
	CO18RC009_31_32	1.01	
CO18RC010	CO18RC010_55_56	1.13	5m @ 2.61g/t Au (55-60m) including 2m @ 5.12g/t Au
	CO18RC010_56_57	1.17	
	CO18RC010_57_58	0.53	
	CO18RC010_58_59	2.15	
	CO18RC010_59_60	8.08	
CO18RC011	CO18RC011_19_20	0.83	7m @ 2.68g/t Au (19-26m) including 2m @ 5.26g/t Au
	CO18RC011_20_21	9.69	
	CO18RC011_21_22	0.35	
	CO18RC011_22_23	0.25	
	CO18RC011_23_24	0.47	
	CO18RC011_24_25	6.03	
	CO18RC011_25_26	1.14	
CO18RC012	CO18RC012_14_15	3.24	2m @ 1.90g/t Au (14-16m)
	CO18RC012_15_16	0.55	
	CO18RC012_21_22	6.85	4m @ 4.55g/t Au (21-25m)
	CO18RC012_22_23	4.75	
	CO18RC012_23_24	4.51	
	CO18RC012_24_25	2.07	
CO18RC014	CO18RC014_25_26	12.65	12m @ 5g/t Au (25-37m) including 4m @ 10.00g/t Au with 2m @ 17.0g/t Au
	CO18RC014_26_27	0.06	
	CO18RC014_27_28	0.7	
	CO18RC014_28_29	0.26	
	CO18RC014_29_30	0.69	
	CO18RC014_30_31	3.85	
	CO18RC014_31_32	17.85	
	CO18RC014_32_33	16.15	
	CO18RC014_33_34	4.43	
	CO18RC014_34_35	0.18	
	CO18RC014_35_36	0.4	
	CO18RC014_36_37	2.68	

Hole ID	Depth (m)	Au (g/t)	Significant Intersection
CO18RC015	CO18RC015_23_24	26.8	10m @ 4.49g/t Au (23-33m) including 5m @ 6.86g/t Au with 2m @ 15.27g/t Au
	CO18RC015_24_25	3.73	
	CO18RC015_25_26	0.56	
	CO18RC015_26_27	1.92	
	CO18RC015_27_28	1.3	
	CO18RC015_28_29	0.19	
	CO18RC015_29_30	0.11	
	CO18RC015_30_31	0.47	
	CO18RC015_31_32	2.93	
	CO18RC015_32_33	6.93	
CO18RC005	CO18RC005_20_21	1.1	2m @ 1.6g/t Au (20-22m)
	CO18RC005_21_22	2.1	
	CO18RC005_39_40	3.0	
	CO18RC005_40_41	0.3	6m @ 2.7 g/t (39-45m) including 2m @ 6.1 g/t
	CO18RC005_41_42	5.6	
	CO18RC005_42_43	6.5	
	CO18RC005_43_44	0.4	
	CO18RC005_44_45	0.4	
CO18RC006	CO18RC006_7_8	12.5	3m @ 4.4 g/t Au (7-10m) including 1m @ 12.5g/t Au
	CO18RC006_8_9	0.3	
	CO18RC006_9_10	0.4	
	CO18RC006_25_26	1.4	2m @ 1.8g/t Au (25-27m)
	CO18RC006_26_27	2.1	
CO18RC007	CO18RC007_20_21	3.0	8m @ 1.9g/t Au (20-28m) including 3m @ 3.2g/t Au
	CO18RC007_21_22	0.6	
	CO18RC007_22_23	0.8	
	CO18RC007_23_24	0.7	
	CO18RC007_24_25	0.6	
	CO18RC007_25_26	5.9	
	CO18RC007_26_27	1.8	
	CO18RC007_27_28	1.8	

**Table 2.** Comstock RC Drill hole collar file

HOLE ID	GDA EASTING	GDA NORTHING	RL	DIP	AZIMUTH	DEPTH (m)
CO18RC005	472555.305	7681582.524	265.698	-60	340	100
CO18RC006	472553.003	7681604.183	265.66	-70	340	42
CO18RC007	472544.161	7681564.925	264.436	-60	340	70
CO18RC008	472542.49	7681571.065	264.492	-60	340	34
CO18RC009	472548.185	7681578.628	265.087	-60	340	40
CO18RC010	472529.199	7681603.599	263.077	-60	100	70
CO18RC011	472557.788	7681591.453	265.954	-60	280	40
CO18RC012	472555.875	7681588.735	265.816	-60	260	44



CO18RC013	472569.844	7681586.022	266.792	-70	280	76
CO18RC014	472558.49	7681576.132	265.941	-60	290	40
CO18RC015	472552.012	7681565.384	265.099	-60	290	40

Ends.

For further information, please contact:

Matt Morgan

Managing Director

Ausmex Mining Group Ltd

[mattm@ausmexgroup.com.au](mailto:mattm@ausmexgroup.com.au)

#### Forward Looking Statements

*The materials may include forward looking statements. Forward looking statements inherently involve subjective judgement, and analysis and are subject to significant uncertainties, risks, and contingencies, many of which are outside the control of, and may be unknown to, the company.*

*Actual results and developments may vary materially from that expressed in these materials. The types of uncertainties which are relevant to the company may include, but are not limited to, commodity prices, political uncertainty, changes to the regulatory framework which applies to the business of the company and general economic conditions. Given these uncertainties, readers are cautioned not to place undue reliance on forward looking statements.*

*Any forward-looking statements in these materials speak only at the date of issue. Subject to any continuing obligations under applicable law or relevant stock exchange listing rules, the company does not undertake any obligation to publicly update or revise any of the forward-looking statements, changes in events, conditions or circumstances on which any statement is based.*

#### Competent Person Statement

*Statements contained in this report relating to exploration results and potential are based on information compiled by Mr. Matthew Morgan, who is a member of the Australasian Institute of Mining and Metallurgy (AusIMM). Mr. Morgan is the Managing Director of Ausmex Mining Group Limited and Geologist whom has sufficient relevant experience in relation to the mineralisation styles being reported on to qualify as a Competent Person as defined in the Australian Code for Reporting of Identified Mineral resources and Ore reserves (JORC Code 2012). Mr. Morgan consents to the use of this information in this report in the form and context in which it appears.*

#### Appendix 1: Full Assay results



Hole_ID	From	To	Au (g/t)
CO18RC005	0	1	0.1
CO18RC005	1	2	0.0
CO18RC005	2	3	0.0
CO18RC005	3	4	0.0
CO18RC005	4	5	0.0
CO18RC005	5	6	0.0
CO18RC005	6	7	0.0
CO18RC005	7	8	0.0
CO18RC005	8	9	0.0
CO18RC005	9	10	0.0
CO18RC005	10	11	0.0
CO18RC005	11	12	0.0
CO18RC005	12	13	0.0
CO18RC005	13	14	0.0
CO18RC005	14	15	0.0
CO18RC005	15	16	0.0
CO18RC005	16	17	0.0
CO18RC005	17	18	0.0
CO18RC005	18	19	0.0
CO18RC005	19	20	0.0
CO18RC005	20	21	1.1
CO18RC005	21	22	2.1
CO18RC005	22	23	0.3
CO18RC005	23	24	0.1
CO18RC005	24	25	0.0
CO18RC005	25	26	0.1
CO18RC005	26	27	1.5
CO18RC005	27	28	0.6
CO18RC005	28	29	0.1
CO18RC005	29	30	0.1
CO18RC005	30	31	0.1
CO18RC005	31	32	0.1
CO18RC005	32	33	0.0
CO18RC005	33	34	0.0
CO18RC005	34	35	0.0
CO18RC005	35	36	0.0
CO18RC005	36	37	0.0
CO18RC005	37	38	0.0
CO18RC005	38	39	0.0
CO18RC005	39	40	3.0
CO18RC005	40	41	0.3
CO18RC005	41	42	5.6
CO18RC005	42	43	6.5

Hole_ID	From	To	Au (g/t)
CO18RC005	43	44	0.4
CO18RC005	44	45	0.4
CO18RC005	45	46	0.2
CO18RC005	46	47	0.1
CO18RC005	47	48	0.9
CO18RC005	48	49	0.0
CO18RC005	49	50	0.0
CO18RC005	50	51	0.0
CO18RC005	51	52	0.2
CO18RC005	52	53	0.0
CO18RC005	53	54	0.1
CO18RC005	54	55	0.0
CO18RC005	55	56	0.0
CO18RC005	56	57	0.0
CO18RC005	57	58	0.0
CO18RC005	58	59	0.4
CO18RC005	59	60	0.3
CO18RC005	60	61	0.1
CO18RC005	61	62	0.0
CO18RC005	62	63	0.0
CO18RC005	63	64	0.0
CO18RC005	64	65	0.0
CO18RC005	65	66	0.0
CO18RC005	66	67	0.0
CO18RC005	67	68	0.0
CO18RC005	68	69	0.0
CO18RC005	69	70	0.0
CO18RC005	70	71	0.0
CO18RC005	71	72	0.0
CO18RC005	72	73	0.0
CO18RC005	73	74	0.0
CO18RC005	74	75	0.0
CO18RC005	75	76	0.0
CO18RC005	76	77	0.0
CO18RC005	77	78	0.0
CO18RC005	78	79	0.0
CO18RC005	79	80	0.0
CO18RC005	80	81	0.0
CO18RC005	81	82	0.1
CO18RC005	82	83	0.1
CO18RC005	83	84	0.0
CO18RC005	84	85	0.0
CO18RC005	85	86	0.0

Hole_ID	From	To	Au (g/t)
CO18RC005	86	87	0.0
CO18RC005	87	88	0.0
CO18RC005	88	89	0.0
CO18RC005	89	90	0.1
CO18RC005	90	91	0.0
CO18RC005	91	92	0.0
CO18RC005	92	93	0.1
CO18RC005	93	94	0.1
CO18RC005	94	95	0.1
CO18RC005	95	96	0.1
CO18RC005	96	97	0.2
CO18RC005	97	98	0.2
CO18RC005	98	99	0.1
CO18RC005	99	100	0.3
CO18RC006	0	1	0.1
CO18RC006	1	2	0.0
CO18RC006	2	3	0.0
CO18RC006	3	4	0.0
CO18RC006	4	5	0.0
CO18RC006	5	6	0.2
CO18RC006	6	7	0.2
CO18RC006	7	8	12.5
CO18RC006	8	9	0.3
CO18RC006	9	10	0.4
CO18RC006	10	11	0.2
CO18RC006	11	12	0.0
CO18RC006	12	13	0.1
CO18RC006	13	14	0.1
CO18RC006	14	15	0.1
CO18RC006	15	16	0.0
CO18RC006	16	17	0.0
CO18RC006	17	18	0.1
CO18RC006	18	19	0.0
CO18RC006	19	20	0.0
CO18RC006	20	21	0.0
CO18RC006	21	22	0.0
CO18RC006	22	23	0.0
CO18RC006	23	24	0.0
CO18RC006	24	25	0.0
CO18RC006	25	26	1.4
CO18RC006	26	27	2.1
CO18RC006	27	28	0.0
CO18RC006	28	29	0.0

Hole_ID	From	To	Au (g/t)
CO18RC006	29	30	0.0
CO18RC006	30	31	0.0
CO18RC006	31	32	0.0
CO18RC006	32	33	0.0
CO18RC006	33	34	0.0
CO18RC006	34	35	0.0
CO18RC006	35	36	0.0
CO18RC006	36	37	0.0
CO18RC006	37	38	0.0
CO18RC006	38	39	0.0
CO18RC006	39	40	0.0
CO18RC006	40	41	0.1
CO18RC006	41	42	0.0
CO18RC006	42	43	0.1
CO18RC006	43	44	0.0
CO18RC006	44	45	0.0
CO18RC006	45	46	0.0
CO18RC006	46	47	0.1
CO18RC006	47	48	0.0
CO18RC006	48	49	0.1
CO18RC006	49	50	0.1
CO18RC006	50	51	0.1
CO18RC006	51	52	0.0
CO18RC007	0	1	0.1
CO18RC007	1	2	0.2
CO18RC007	2	3	0.0
CO18RC007	3	4	0.0
CO18RC007	4	5	0.0
CO18RC007	5	6	0.0
CO18RC007	6	7	0.0
CO18RC007	7	8	0.0
CO18RC007	8	9	0.0
CO18RC007	9	10	0.0
CO18RC007	10	11	0.0
CO18RC007	11	12	0.0
CO18RC007	12	13	0.0
CO18RC007	13	14	0.0
CO18RC007	14	15	0.0
CO18RC007	15	16	0.1
CO18RC007	16	17	0.2
CO18RC007	17	18	Void
CO18RC007	18	19	Void
CO18RC007	19	20	0.4

Hole_ID	From	To	Au (g/t)
CO18RC007	20	21	3.0
CO18RC007	21	22	0.6
CO18RC007	22	23	0.8
CO18RC007	23	24	0.7
CO18RC007	24	25	0.6
CO18RC007	25	26	5.9
CO18RC007	26	27	1.8
CO18RC007	27	28	1.8
CO18RC007	28	29	0.2
CO18RC007	29	30	0.0
CO18RC007	30	31	0.0
CO18RC007	31	32	0.0
CO18RC007	32	33	0.8
CO18RC007	33	34	0.5
CO18RC007	34	35	0.0
CO18RC007	35	36	0.0
CO18RC007	36	37	0.0
CO18RC007	37	38	0.0
CO18RC007	38	39	0.0
CO18RC007	39	40	0.0
CO18RC007	40	41	0.0
CO18RC007	41	42	0.0
CO18RC007	42	43	0.0
CO18RC007	43	44	0.0
CO18RC007	44	45	0.2
CO18RC007	45	46	0.0
CO18RC007	46	47	0.0
CO18RC007	47	48	0.0
CO18RC007	48	49	0.0
CO18RC007	49	50	0.0
CO18RC007	50	51	0.0
CO18RC007	51	52	0.0
CO18RC007	52	53	0.8
CO18RC007	53	54	0.0
CO18RC007	54	55	0.0
CO18RC007	55	56	0.4
CO18RC007	56	57	1.2
CO18RC007	57	58	0.5
CO18RC007	58	59	0.1
CO18RC007	59	60	0.4
CO18RC007	60	61	0.9
CO18RC007	61	62	0.4
CO18RC007	62	63	0.0

Hole_ID	From	To	Au (g/t)
CO18RC007	63	64	0.0
CO18RC007	64	65	0.0
CO18RC007	65	66	0.1
CO18RC007	66	67	0.0
CO18RC007	67	68	0.0
CO18RC007	68	69	0.0
CO18RC007	69	70	0.0
CO18RC008	0	1	0.1
CO18RC008	1	2	0.0
CO18RC008	2	3	0.0
CO18RC008	3	4	0.0
CO18RC008	4	5	0.0
CO18RC008	5	6	0.0
CO18RC008	6	7	0.0
CO18RC008	7	8	0.0
CO18RC008	8	9	0.0
CO18RC008	9	10	0.0
CO18RC008	10	11	0.2
CO18RC008	11	12	0.1
CO18RC008	12	13	0.9
CO18RC008	13	14	0.3
CO18RC008	14	15	1.3
CO18RC008	15	16	1.2
CO18RC008	16	17	0.1
CO18RC008	17	18	0.3
CO18RC008	18	19	0.3
CO18RC008	19	20	0.4
CO18RC008	20	21	0.1
CO18RC008	21	22	0.0
CO18RC008	22	23	0.3
CO18RC008	23	24	0.0
CO18RC008	24	25	0.0
CO18RC008	25	26	1.0
CO18RC008	26	27	0.0
CO18RC008	27	28	1.9
CO18RC008	28	29	0.0
CO18RC008	29	30	0.0
CO18RC008	30	31	0.0
CO18RC008	31	32	0.0
CO18RC008	32	33	0.0
CO18RC008	33	34	0.0
CO18RC009	0	1	0.1
CO18RC009	1	2	0.0

Hole_ID	From	To	Au (g/t)
CO18RC009	2	3	0.0
CO18RC009	3	4	0.0
CO18RC009	4	5	0.0
CO18RC009	5	6	0.0
CO18RC009	6	7	0.0
CO18RC009	7	8	0.0
CO18RC009	8	9	0.0
CO18RC009	9	10	0.0
CO18RC009	10	11	0.0
CO18RC009	11	12	0.0
CO18RC009	12	13	0.0
CO18RC009	13	14	0.0
CO18RC009	14	15	0.3
CO18RC009	15	16	1.0
CO18RC009	16	17	0.1
CO18RC009	17	18	0.2
CO18RC009	18	19	0.0
CO18RC009	19	20	0.0
CO18RC009	20	21	0.0
CO18RC009	21	22	2.4
CO18RC009	22	23	0.2
CO18RC009	23	24	0.1
CO18RC009	24	25	0.7
CO18RC009	25	26	0.4
CO18RC009	26	27	5.3
CO18RC009	27	28	0.9
CO18RC009	28	29	1.5
CO18RC009	29	30	0.2
CO18RC009	30	31	35.6
CO18RC009	31	32	1.0
CO18RC009	32	33	0.1
CO18RC009	33	34	0.7
CO18RC009	34	35	0.5
CO18RC009	35	36	0.5
CO18RC009	36	37	0.1
CO18RC009	37	38	0.0
CO18RC009	38	39	0.0
CO18RC009	39	40	0.0
CO18RC010	0	1	1.5
CO18RC010	1	2	0.1
CO18RC010	2	3	0.0
CO18RC010	3	4	0.0
CO18RC010	4	5	0.0

Hole_ID	From	To	Au (g/t)
CO18RC010	5	6	0.0
CO18RC010	6	7	0.1
CO18RC010	7	8	0.1
CO18RC010	8	9	0.0
CO18RC010	9	10	0.0
CO18RC010	10	11	0.0
CO18RC010	11	12	0.0
CO18RC010	12	13	0.0
CO18RC010	13	14	0.1
CO18RC010	14	15	0.0
CO18RC010	15	16	0.0
CO18RC010	16	17	0.0
CO18RC010	17	18	0.0
CO18RC010	18	19	0.0
CO18RC010	19	20	0.0
CO18RC010	20	21	0.0
CO18RC010	21	22	0.0
CO18RC010	22	23	0.0
CO18RC010	23	24	0.0
CO18RC010	24	25	0.0
CO18RC010	25	26	0.0
CO18RC010	26	27	0.0
CO18RC010	27	28	0.0
CO18RC010	28	29	0.1
CO18RC010	29	30	0.0
CO18RC010	30	31	0.0
CO18RC010	31	32	0.0
CO18RC010	32	33	0.0
CO18RC010	33	34	0.0
CO18RC010	34	35	0.0
CO18RC010	35	36	0.0
CO18RC010	36	37	0.3
CO18RC010	37	38	0.0
CO18RC010	38	39	0.0
CO18RC010	39	40	0.0
CO18RC010	40	41	0.0
CO18RC010	41	42	0.0
CO18RC010	42	43	0.0
CO18RC010	43	44	0.0
CO18RC010	44	45	0.0
CO18RC010	45	46	0.0
CO18RC010	46	47	0.0
CO18RC010	47	48	0.0

Hole_ID	From	To	Au (g/t)
CO18RC010	48	49	0.0
CO18RC010	49	50	0.0
CO18RC010	50	51	0.0
CO18RC010	51	52	0.3
CO18RC010	52	53	0.0
CO18RC010	53	54	0.0
CO18RC010	54	55	0.7
CO18RC010	55	56	1.1
CO18RC010	56	57	1.2
CO18RC010	57	58	0.5
CO18RC010	58	59	2.2
CO18RC010	59	60	8.1
CO18RC010	60	61	0.5
CO18RC010	61	62	0.1
CO18RC010	62	63	0.0
CO18RC010	63	64	0.1
CO18RC010	64	65	0.0
CO18RC010	65	66	0.0
CO18RC010	66	67	0.0
CO18RC010	67	68	0.0
CO18RC010	68	69	0.0
CO18RC010	69	70	0.0
CO18RC011	0	1	0.0
CO18RC011	1	2	0.0
CO18RC011	2	3	0.0
CO18RC011	3	4	0.0
CO18RC011	4	5	0.0
CO18RC011	5	6	0.0
CO18RC011	6	7	0.0
CO18RC011	7	8	0.0
CO18RC011	8	9	0.0
CO18RC011	9	10	0.0
CO18RC011	10	11	0.0
CO18RC011	11	12	0.0
CO18RC011	12	13	0.0
CO18RC011	13	14	0.0
CO18RC011	14	15	0.2
CO18RC011	15	16	0.7
CO18RC011	16	17	0.5
CO18RC011	17	18	0.0
CO18RC011	18	19	0.1
CO18RC011	19	20	0.8
CO18RC011	20	21	9.7

Hole_ID	From	To	Au (g/t)
CO18RC011	21	22	0.4
CO18RC011	22	23	0.3
CO18RC011	23	24	0.5
CO18RC011	24	25	6.0
CO18RC011	25	26	1.1
CO18RC011	26	27	0.1
CO18RC011	27	28	0.0
CO18RC011	28	29	0.0
CO18RC011	29	30	0.0
CO18RC011	30	31	0.0
CO18RC011	31	32	1.0
CO18RC011	32	33	0.9
CO18RC011	33	34	0.0
CO18RC011	34	35	0.0
CO18RC011	35	36	0.7
CO18RC011	36	37	0.5
CO18RC011	37	38	0.0
CO18RC011	38	39	0.0
CO18RC011	39	40	0.0
CO18RC012	0	1	0.1
CO18RC012	1	2	0.0
CO18RC012	2	3	0.0
CO18RC012	3	4	0.0
CO18RC012	4	5	0.0
CO18RC012	5	6	0.0
CO18RC012	6	7	0.0
CO18RC012	7	8	0.0
CO18RC012	8	9	0.0
CO18RC012	9	10	0.0
CO18RC012	10	11	0.0
CO18RC012	11	12	0.0
CO18RC012	12	13	0.0
CO18RC012	13	14	0.2
CO18RC012	14	15	3.2
CO18RC012	15	16	0.6
CO18RC012	16	17	0.0
CO18RC012	17	18	0.0
CO18RC012	18	19	0.0
CO18RC012	19	20	0.2
CO18RC012	20	21	0.1
CO18RC012	21	22	6.9
CO18RC012	22	23	4.8
CO18RC012	23	24	4.5

Hole_ID	From	To	Au (g/t)
CO18RC012	24	25	2.1
CO18RC012	25	26	0.1
CO18RC012	26	27	0.5
CO18RC012	27	28	0.1
CO18RC012	28	29	0.0
CO18RC012	29	30	0.1
CO18RC012	30	31	0.0
CO18RC012	31	32	0.1
CO18RC012	32	33	0.7
CO18RC012	33	34	0.2
CO18RC012	34	35	0.1
CO18RC012	35	36	0.0
CO18RC012	36	37	0.0
CO18RC012	37	38	0.1
CO18RC012	38	39	0.1
CO18RC012	39	40	0.0
CO18RC012	40	41	0.0
CO18RC012	41	42	0.0
CO18RC012	42	43	0.0
CO18RC012	43	44	0.0
CO18RC013	0	1	0.1
CO18RC013	1	2	0.0
CO18RC013	2	3	0.0
CO18RC013	3	4	0.0
CO18RC013	4	5	0.0
CO18RC013	5	6	0.0
CO18RC013	6	7	0.0
CO18RC013	7	8	0.0
CO18RC013	8	9	0.0
CO18RC013	9	10	0.1
CO18RC013	10	11	0.0
CO18RC013	11	12	0.0
CO18RC013	12	13	0.0
CO18RC013	13	14	0.0
CO18RC013	14	15	0.1
CO18RC013	15	16	0.0
CO18RC013	16	17	0.0
CO18RC013	17	18	0.0
CO18RC013	18	19	0.0
CO18RC013	19	20	0.0
CO18RC013	20	21	0.0
CO18RC013	21	22	0.0
CO18RC013	22	23	0.0

Hole_ID	From	To	Au (g/t)
CO18RC013	23	24	0.0
CO18RC013	24	25	0.0
CO18RC013	25	26	0.0
CO18RC013	26	27	0.0
CO18RC013	27	28	0.0
CO18RC013	28	29	0.0
CO18RC013	29	30	0.0
CO18RC013	30	31	0.0
CO18RC013	31	32	0.0
CO18RC013	32	33	0.0
CO18RC013	33	34	0.9
CO18RC013	34	35	0.1
CO18RC013	35	36	0.2
CO18RC013	36	37	0.1
CO18RC013	37	38	0.0
CO18RC013	38	39	0.0
CO18RC013	39	40	0.1
CO18RC013	40	41	0.1
CO18RC013	41	42	0.5
CO18RC013	42	43	0.1
CO18RC013	43	44	0.1
CO18RC013	44	45	0.2
CO18RC013	45	46	0.0
CO18RC013	46	47	0.0
CO18RC013	47	48	0.0
CO18RC013	48	49	0.3
CO18RC013	49	50	0.0
CO18RC013	50	51	0.0
CO18RC013	51	52	0.4
CO18RC013	52	53	1.4
CO18RC013	53	54	0.3
CO18RC013	54	55	0.2
CO18RC013	55	56	0.1
CO18RC013	56	57	0.0
CO18RC013	57	58	0.0
CO18RC013	58	59	0.3
CO18RC013	59	60	0.0
CO18RC013	60	61	0.0
CO18RC013	61	62	0.0
CO18RC013	62	63	0.0
CO18RC013	63	64	0.0
CO18RC013	64	65	0.0
CO18RC013	65	66	0.0

Hole_ID	From	To	Au (g/t)
CO18RC013	66	67	0.0
CO18RC013	67	68	0.0
CO18RC013	68	69	0.0
CO18RC013	69	70	0.0
CO18RC013	70	71	0.0
CO18RC013	71	72	0.1
CO18RC013	72	73	0.0
CO18RC013	73	74	0.4
CO18RC013	74	75	0.1
CO18RC013	75	76	0.1
CO18RC014	0	1	0.1
CO18RC014	1	2	0.0
CO18RC014	2	3	0.0
CO18RC014	3	4	0.0
CO18RC014	4	5	0.0
CO18RC014	5	6	0.0
CO18RC014	6	7	0.0
CO18RC014	7	8	0.0
CO18RC014	8	9	0.0
CO18RC014	9	10	0.0
CO18RC014	10	11	0.0
CO18RC014	11	12	0.0
CO18RC014	12	13	0.0
CO18RC014	13	14	0.0
CO18RC014	14	15	0.0
CO18RC014	15	16	0.0
CO18RC014	16	17	0.0
CO18RC014	17	18	0.0
CO18RC014	18	19	0.0
CO18RC014	19	20	0.0
CO18RC014	20	21	0.0
CO18RC014	21	22	0.0
CO18RC014	22	23	0.0
CO18RC014	23	24	0.6
CO18RC014	24	25	0.5
CO18RC014	25	26	12.7
CO18RC014	26	27	0.1
CO18RC014	27	28	0.7
CO18RC014	28	29	0.3
CO18RC014	29	30	0.7
CO18RC014	30	31	3.9
CO18RC014	31	32	17.9
CO18RC014	32	33	16.2

Hole_ID	From	To	Au (g/t)
CO18RC014	33	34	4.4
CO18RC014	34	35	0.2
CO18RC014	35	36	0.4
CO18RC014	36	37	2.7
CO18RC014	37	38	0.1
CO18RC014	38	39	0.0
CO18RC014	39	40	0.0
CO18RC015	0	1	0.2
CO18RC015	1	2	0.1
CO18RC015	2	3	0.0
CO18RC015	3	4	0.0
CO18RC015	4	5	0.0
CO18RC015	5	6	0.0
CO18RC015	6	7	0.0
CO18RC015	7	8	0.0
CO18RC015	8	9	0.0
CO18RC015	9	10	0.0
CO18RC015	10	11	0.0
CO18RC015	11	12	0.0
CO18RC015	12	13	0.0
CO18RC015	13	14	0.0
CO18RC015	14	15	0.0
CO18RC015	15	16	0.0
CO18RC015	16	17	0.0
CO18RC015	17	18	0.0
CO18RC015	18	19	0.0
CO18RC015	19	20	0.0
CO18RC015	20	21	0.0
CO18RC015	21	22	0.1
CO18RC015	22	23	0.4
CO18RC015	23	24	26.8
CO18RC015	24	25	3.7
CO18RC015	25	26	0.6
CO18RC015	26	27	1.9
CO18RC015	27	28	1.3
CO18RC015	28	29	0.2
CO18RC015	29	30	0.1
CO18RC015	30	31	0.5
CO18RC015	31	32	2.9
CO18RC015	32	33	6.9
CO18RC015	33	34	0.1
CO18RC015	34	35	0.0
CO18RC015	35	36	0.0

Hole_ID	From	To	Au (g/t)
CO18RC015	36	37	0.0
CO18RC015	37	38	0.0
CO18RC015	38	39	0.0
CO18RC015	39	40	0.0



## JORC Code, 2012 Edition – Table 1 report

### Section 1 Sampling Techniques and Data

(Criteria in this section apply to all succeeding sections.)

Criteria	JORC Code explanation	Commentary
Sampling techniques	<ul style="list-style-type: none"> <li>Nature and quality of sampling (eg cut channels, random chips, or specific specialised industry standard measurement tools appropriate to the minerals under investigation, such as down hole gamma sondes, or handheld XRF instruments, etc). These examples should not be taken as limiting the broad meaning of sampling.</li> <li>Include reference to measures taken to ensure sample representivity and the appropriate calibration of any measurement tools or systems used.</li> <li>Aspects of the determination of mineralisation that are Material to the Public Report.</li> <li>In cases where ‘industry standard’ work has been done this would be relatively simple (eg ‘reverse circulation drilling was used to obtain 1 m samples from which 3 kg was pulverised to produce a 30 g charge for fire assay’). In other cases, more explanation may be required, such as where there is coarse gold that has inherent sampling problems. Unusual commodities or mineralisation types (eg submarine nodules) may warrant disclosure of detailed information.</li> </ul>	<ul style="list-style-type: none"> <li>RC Drilling chip samples recovered via cyclone and splitter</li> <li>Samples were ~2-3kg in weight</li> <li>reverse circulation drilling was used to obtain 1 m samples for targeted ore zones, and 4 m cumulative samples between ore zones from which ~3 kg was pulverised to produce a 30 g charge for ICP analysis for Copper and Cobalt plus Fire Assay for Gold.</li> <li>Samples analysis completed at ALS laboratory QLD</li> </ul>
Drilling techniques	<ul style="list-style-type: none"> <li>Drill type (eg core, reverse circulation, open-hole hammer, rotary air blast, auger, Bangka, sonic, etc) and details (eg core diameter, triple or standard tube, depth of diamond tails, face-sampling bit or other type, whether core is oriented and if so, by what method, etc).</li> </ul>	<ul style="list-style-type: none"> <li>Reverse Circulation drilling with cyclone and splitter.</li> </ul>
Drill sample recovery	<ul style="list-style-type: none"> <li>Method of recording and assessing core and chip sample recoveries and results assessed.</li> <li>Measures taken to maximise sample recovery and ensure representative nature of the samples.</li> </ul>	<ul style="list-style-type: none"> <li>Samples recovered via cyclone and splitter, sample weights indicate representative for 1m.</li> </ul>

Criteria	JORC Code explanation	Commentary
	<ul style="list-style-type: none"> <li>Whether a relationship exists between sample recovery and grade and whether sample bias may have occurred due to preferential loss/gain of fine/coarse material.</li> </ul>	
Logging	<ul style="list-style-type: none"> <li>Whether core and chip samples have been geologically and geotechnically logged to a level of detail to support appropriate Mineral Resource estimation, mining studies and metallurgical studies.</li> <li>Whether logging is qualitative or quantitative in nature. Core (or costean, channel, etc) photography.</li> <li>The total length and percentage of the relevant intersections logged.</li> </ul>	<ul style="list-style-type: none"> <li>RC chips were geologically logged every 1 m.</li> <li></li> </ul>
Sub-sampling techniques and sample preparation	<ul style="list-style-type: none"> <li>If core, whether cut or sawn and whether quarter, half or all core taken.</li> <li>If non-core, whether riffled, tube sampled, rotary split, etc and whether sampled wet or dry.</li> <li>For all sample types, the nature, quality and appropriateness of the sample preparation technique.</li> <li>Quality control procedures adopted for all sub-sampling stages to maximise representivity of samples.</li> <li>Measures taken to ensure that the sampling is representative of the in-situ material collected, including for instance results for field duplicate/second-half sampling.</li> <li>Whether sample sizes are appropriate to the grain size of the material being sampled.</li> </ul>	<ul style="list-style-type: none"> <li>No sub sampling taken from 1 metre RC chips.</li> <li>Field duplicates and standards were entered for analysis with the results indicating that representative sampling and subsequent analysis were completed.</li> </ul>
Quality of assay data and laboratory tests	<ul style="list-style-type: none"> <li>The nature, quality and appropriateness of the assaying and laboratory procedures used and whether the technique is considered partial or total.</li> <li>For geophysical tools, spectrometers, handheld XRF instruments, etc, the parameters used in determining the analysis including instrument make and model, reading times, calibrations factors applied and their derivation, etc.</li> <li>Nature of quality control procedures adopted (eg standards, blanks, duplicates, external laboratory checks) and whether acceptable levels of</li> </ul>	<ul style="list-style-type: none"> <li>Industry standard ICP analysis was completed for Copper and Cobalt plus Fire Assay for Gold samples and subsequent assays</li> <li>Repeat and checks were conducted by ALS laboratories whilst completing the analysis.</li> <li>Standard and duplicates entered by Ausmex</li> <li>The level of accuracy of analysis is considered adequate with no bias samples reported.</li> </ul>

Criteria	JORC Code explanation	Commentary
	<i>accuracy (ie lack of bias) and precision have been established.</i>	
<i>Verification of sampling and assaying</i>	<ul style="list-style-type: none"> <li><i>The verification of significant intersections by either independent or alternative company personnel.</i></li> <li><i>The use of twinned holes.</i></li> <li><i>Documentation of primary data, data entry procedures, data verification, data storage (physical and electronic) protocols.</i></li> <li><i>Discuss any adjustment to assay data.</i></li> </ul>	<ul style="list-style-type: none"> <li>Significant intersections inspected and verified by JORC competent personnel</li> <li>No assays were adjusted</li> <li>There were no twinned holes drilled</li> <li>All drill hole logging was completed on site by Geologists, with data entered into field laptop and verified as entered into a geological database</li> <li>Significant intersections for gold was reported as a combined down hole interval average received assay grade and are not down hole weighted averages.</li> <li>As all significant intersections reported for gold were average down hole assays, with no internal waste has been calculated or assumed.</li> </ul>
<i>Location of data points</i>	<ul style="list-style-type: none"> <li><i>Accuracy and quality of surveys used to locate drill holes (collar and down-hole surveys), trenches, mine workings and other locations used in Mineral Resource estimation.</i></li> <li><i>Specification of the grid system used.</i></li> <li><i>Quality and adequacy of topographic control.</i></li> </ul>	<ul style="list-style-type: none"> <li>The drill collars have been surveyed by handheld GPS. (accuracy +/- 3m)</li> <li>The drill collars will be surveyed by a permanent base station (accuracy +/- 150mm) and recorded in MGA94, Zone 54 datum</li> </ul>
<i>Data spacing and distribution</i>	<ul style="list-style-type: none"> <li><i>Data spacing for reporting of Exploration Results.</i></li> <li><i>Whether the data spacing, and distribution is sufficient to establish the degree of geological and grade continuity appropriate for the Mineral Resource and Ore Reserve estimation procedure(s) and classifications applied.</i></li> <li><i>Whether sample compositing has been applied.</i></li> </ul>	<ul style="list-style-type: none"> <li>Data spacing, and distribution is NOT sufficient for Mineral Resource estimation</li> <li>No sample compositing has been applied.</li> </ul>
<i>Orientation of data in relation to</i>	<ul style="list-style-type: none"> <li><i>Whether the orientation of sampling achieves unbiased sampling of possible structures and the extent to which this is known, considering the deposit type.</i></li> </ul>	<ul style="list-style-type: none"> <li>The orientation of samples is not likely to bias the assay results.</li> </ul>

Criteria	JORC Code explanation	Commentary
<i>geological structure</i>	<ul style="list-style-type: none"> <li><i>If the relationship between the drilling orientation and the orientation of key mineralised structures is considered to have introduced a sampling bias, this should be assessed and reported if material.</i></li> </ul>	
<i>Sample security</i>	<ul style="list-style-type: none"> <li><i>The measures taken to ensure sample security.</i></li> </ul>	<ul style="list-style-type: none"> <li>Samples were taken to Cloncurry by company personnel and despatched by courier to the ALS Laboratory in Townsville</li> </ul>
<i>Audits or reviews</i>	<ul style="list-style-type: none"> <li><i>The results of any audits or reviews of sampling techniques and data.</i></li> </ul>	<ul style="list-style-type: none"> <li>No audits or reviews have been undertaken at this stage.</li> </ul>

## Section 2 Reporting of Exploration Results

(Criteria listed in the preceding section also apply to this section.)

Criteria	JORC Code explanation	Commentary
<i>Mineral tenement and land tenure status</i>	<ul style="list-style-type: none"> <li><i>Type, reference name/number, location and ownership including agreements or material issues with third parties such as joint ventures, partnerships, overriding royalties, native title interests, historical sites, wilderness or national park and environmental settings.</i></li> <li><i>The security of the tenure held at the time of reporting along with any known impediments to obtaining a licence to operate in the area.</i></li> </ul>	<ul style="list-style-type: none"> <li>ML2718, ML2709, ML2713, ML2719, ML2741 &amp; EPM14163 are owned 100% by Spinifex Mines Pty Ltd. Ausmex Mining Group Limited owns 80% of Spinifex Mines Pty Ltd. Queensland Mining Corporation Limited own 20% of Spinifex Mines. Exploration is completed under an incorporated Joint Venture.</li> <li>80% beneficial interest in sub blocks CLON825U &amp; CLON825P from EPM15923 &amp; 80/20 JV with CopperChem</li> <li>EPM14475, EPM15858, &amp; EPM18286 are held by QMC Exploration Pty Limited. Ausmex Mining Group Limited owns 80% of QMC Exploration Pty Limited. Queensland Mining Corporation Limited own 20% of Spinifex Mines. Exploration is completed under an incorporated Joint Venture.</li> <li>ML2549, ML2541, ML2517 are 100% owned by Ausmex.</li> </ul>

Criteria	JORC Code explanation	Commentary
Exploration done by other parties	<ul style="list-style-type: none"> <li>Acknowledgment and appraisal of exploration by other parties.</li> </ul>	<ul style="list-style-type: none"> <li>All exploration programs conducted by Ausmex Mining Group Limited.</li> <li>Reference to historical mining</li> </ul>
Geology	<ul style="list-style-type: none"> <li>Deposit type, geological setting and style of mineralisation.</li> </ul>	<ul style="list-style-type: none"> <li>ML2718, ML2709, ML2713, ML2719 hosts the Gilded Rose shear hosted quartz reef. There are several golds mineralised hydrothermal quartz reefs within the deposit.</li> <li>ML2741 hosts the shear hosted quartz rich Mt Freda Gold deposit containing Au, Cu, &amp; Co.</li> <li>ML2549, ML2541, ML2517 host copper mineralisation associated with carbonate intrusions into altered mafic host rocks</li> <li>EPM14163 &amp; EPM 15858 contain There are several gold mineralised hydrothermal quartz reefs within the deposit containing Au, Cu, &amp; Co</li> </ul>
Drill hole Information	<ul style="list-style-type: none"> <li>A summary of all information material to the understanding of the exploration results including a tabulation of the following information for all Material drill holes:               <ul style="list-style-type: none"> <li>easting and northing of the drill hole collar</li> <li>elevation or RL (Reduced Level – elevation above sea level in metres) of the drill hole collar</li> <li>dip and azimuth of the hole</li> <li>down hole length and interception depth</li> <li>hole length.</li> </ul> </li> <li>If the exclusion of this information is justified on the basis that the information is not Material and this exclusion does not detract from the understanding of the report, the Competent Person should clearly explain why this is the case.</li> </ul>	<ul style="list-style-type: none"> <li>Details within tables within the release</li> </ul>
Data aggregation methods	<ul style="list-style-type: none"> <li>In reporting Exploration Results, weighting averaging techniques, maximum and/or minimum grade truncations (eg cutting of high grades)</li> </ul>	<ul style="list-style-type: none"> <li>Significant average combined down hole assay intersections have been reported as part of this</li> </ul>



Criteria	JORC Code explanation	Commentary
	<p><i>and cut-off grades are usually Material and should be stated.</i></p> <ul style="list-style-type: none"> <li>• <i>Where aggregate intercepts incorporate short lengths of high grade results and longer lengths of low grade results, the procedure used for such aggregation should be stated and some typical examples of such aggregations should be shown in detail.</i></li> <li>• <i>The assumptions used for any reporting of metal equivalent values should be clearly stated.</i></li> </ul>	<p>release for Cu &amp; Au. These average intersections are not weighted averages. No weighted down hole averages were reported.</p> <ul style="list-style-type: none"> <li>• Where Au is &lt;LD, 50% of LD was used for data aggregation i.e. if LD=0.01 then &lt;LD = 0.005</li> <li>• Significant intersections for all minerals were reported are an average received assay grade for that down hole significant intersection.</li> <li>• The average combined down hole significant intersection did not have an internal Cut-off grade for gold, therefore there was no minimum individual sample cut off, yet only a combined down hole intersection average &gt; 2.0g/t Au. Within these reported Cu intersections there were individual assays &lt; 0.1 G/t Au.</li> <li>• Significant intersections for copper and gold were based on the average grade for the same intersection, as it may be assumed they represent a combined potential mining unit in the future.</li> <li>• As all significant intersections reported for Copper were a combined total average down hole grade, no internal waste has been calculated or assumed.</li> </ul>
Relationship between mineralisation widths and	<ul style="list-style-type: none"> <li>• <i>These relationships are particularly important in the reporting of Exploration Results.</i></li> <li>• <i>If the geometry of the mineralisation with respect to the drill hole angle is</i></li> </ul>	<ul style="list-style-type: none"> <li>• No material information is excluded.</li> <li>• intersections have been displayed reported as part of this release.</li> </ul>

Criteria	JORC Code explanation	Commentary
<i>Intercept lengths</i>	<p><i>known, its nature should be reported.</i></p> <ul style="list-style-type: none"> <li><i>If it is not known and only the down hole lengths are reported, there should be a clear statement to this effect (eg 'down hole length, true width not known').</i></li> </ul>	<ul style="list-style-type: none"> <li>Interpreted X sections attached to the announcement displaying the geometry of mineralisation</li> </ul>
<i>Diagrams</i>	<ul style="list-style-type: none"> <li><i>Appropriate maps and sections (with scales) and tabulations of intercepts should be included for any significant discovery being reported. These should include, but not be limited to a plan view of drill hole collar locations and appropriate sectional views.</i></li> </ul>	<ul style="list-style-type: none"> <li>Maps showing the location of the EPMs and MLs are presented in the announcement</li> <li>Appropriate relevant and labelled X sections attached</li> </ul>
<i>Balanced reporting</i>	<ul style="list-style-type: none"> <li><i>Where comprehensive reporting of all Exploration Results is not practicable, representative reporting of both low and high grades and/or widths should be practiced to avoid misleading reporting of Exploration Results.</i></li> </ul>	<ul style="list-style-type: none"> <li>All comprehensive ICP and Fire Assay analytical results for Copper, cobalt and Gold were reported.</li> </ul>
<i>Other substantive exploration data</i>	<ul style="list-style-type: none"> <li><i>Other exploration data, if meaningful and material, should be reported including (but not limited to): geological observations; geophysical survey results; geochemical survey results; bulk samples – size and method of treatment; metallurgical test results; bulk density, groundwater, geotechnical and rock characteristics; potential deleterious or contaminating substances.</i></li> </ul>	<ul style="list-style-type: none"> <li>Reference to Historical QLD Mines Dept. reports from 1936.</li> <li>References to previous ASX announcements.</li> </ul>
<i>Further work</i>	<ul style="list-style-type: none"> <li><i>The nature and scale of planned further work (eg tests for lateral extensions or depth extensions or large-scale step-out drilling).</i></li> <li><i>Diagrams clearly highlighting the areas of possible extensions, including the main geological interpretations and future drilling areas, provided this information is not commercially sensitive.</i></li> </ul>	<ul style="list-style-type: none"> <li>Additional mapping, costeans, geophysical surveys, RC and Core drilling</li> </ul>